



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	18/06/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	18/06/2020 20:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA D - WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9315	RIYA DHURI D-617	45	F	18.06.2020	Negative
C9314	BANSI HARINDRANATH JALVI D-1114	55	M	18.06.2020	Negative
C9313	VISHWAKARMA TIWARI D-519	30	M	18.06.2020	Negative
C9312	SURAJ BAHADUR SINGH D-722	22	M	18.06.2020	Negative
C9311	RAM BAHADUR SINGH D-722	53	M	18.06.2020	Negative
C9310	CHHAYA NAIK D-704	58	F	18.06.2020	Negative
C9309	JAYWANT NAIK D-704	59	M	18.06.2020	Negative
C9308	RAJU SHRAVAN THANGIRE D-1202	51	M	18.06.2020	Negative
C9307	SNEHA BHARAT MOKAL D-1101	20	F	18.06.2020	Negative
C9306	SHRUTI BHARAT MOKAL D-1101	16	F	18.06.2020	Negative
C9305	SONIA BHARAT MOKAL D-1122	26	F	18.06.2020	Negative
C9304	NILIMA SANJAY WANI D-709	43	F	18.06.2020	Negative
C9303	KAMRUDDIN ANSARI D-715	45	M	18.06.2020	Negative
C9302	ASHOK ANANT MORE D-710	68	M	18.06.2020	Negative
C9301	SHAMIKA SANDIP SUTAR D-716	28	F	18.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)