

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	25/06/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	26/06/2020 12:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10549	MAHIPAT PADWAL C-723	85	М	26.06.2020	Negative
C10550	LATA RAJA C-1616	26	F	26.06.2020	Negative
C10551	MUNNA RAJAK C-813	43	М	26.06.2020	Negative
C10552	PANDURANG MUNDE C- 428	39	М	26.06.2020	Inconclusive (Repeat Fresh Sample)
C10553	SAKHARAM BHOMBALE C-1522	85	М	26.06.2020	Negative
C10554	SUNITA LATE C-1519	51	F	26.06.2020	Inconclusive (Repeat Fresh Sample)
C10555	BHARTI PATEKAR C-1529	31	F	26.06.2020	Negative
C10556	MANGESH LATE C-1521	32	М	26.06.2020	Positive
C10557	VAISHALI MALODE C-709	41	F	26.06.2020	Negative
C10558	SHABUDDIN KHAN C-1013	38	М	26.06.2020	Negative
C10559	MEERA BENBALSHI C- 1019	45	F	26.06.2020	Negative
C10560	RABIYA KHAN C-1033	32	F	26.06.2020	Negative
C10561	SURJIT VARMA C-1015	38	М	26.06.2020	Positive
C10562	PRITI AYRE C-617	33	F	26.06.2020	Negative
C10563	SANJAY LANJEKAR C-434	51	М	26.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	25/06/2020 12:30 pm		
Date and time of reporting (dd/mm/yyyy)	26/06/2020 12:50 pm		
SPECIMEN DETAILS	Nasopharyngeal Swab		
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING		

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10564	USHA REVANKAR C-432	43	F	26.06.2020	Negative
C10565	SUNITA JAGTAP C-1924	48	F	26.06.2020	Negative
C10566	MANASI MORE C-1113	35	F	26.06.2020	Negative
C10567	SUJATA MORE C-1133	55	F	26.06.2020	Negative
C10568	SHEELA GUPTA C-1319	48	М	26.06.2020	Negative
C10569	KAMAL HONKHANDE C-2031	55	М	26.06.2020	Positive
C10570	SUDESH KADAM C-1811	22	М	26.06.2020	Positive
C10571	SANAVI GAWDE C-514	15 M	F	26.06.2020	Positive
C10572	RITVIK GAWDE C-532	4Y 5M	М	26.06.2020	Positive
C10573	SANTOSH PADWAL C-724	44	М	26.06.2020	Negative
C10574	SNEHA MANDLIK C-2414	30	F	26.06.2020	Negative
C10575	SWATI HONKHANDE C-2015	35	F	26.06.2020	Positive
C10576	PRAJAKTA BOLAKE C-2426	23	F	26.06.2020	Positive
C10577	ABHIJIT MANDLIK C-2431	28	М	26.06.2020	Positive
C10578	YOJANA KADVE C-2205	21	F	26.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Verified by Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	25/06/2020 12:30 pm	
Date and time of reporting (dd/mm/yyyy)	26/06/2020 12:50 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10580	RINA JADHAV C-2317	34	F	26.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)