



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	24/08/2020 11:50 am
Date and time of reporting (dd/mm/yyyy)	24/08/2020 19:58 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23201	NITINKUMAR AJITRAO MOKASHI 14620/A-2281	30	M	24.08.2020	Negative
C23202	SANTOSH JAISWAL 14644/ A-2284	42	M	24.08.2020	Positive
C23203	DILIP RADHAKRISHNA SONI 14647/ A-2282	30	M	24.08.2020	Negative
C23204	RENU KISHOR MANDAL 14638/ A-2277	70	F	24.08.2020	Negative
C23205	MAKRAND SANDEEP PATKAR 14635/ A- 2274	24	M	24.08.2020	Negative
C23206	GYANCHAND SUBHASH SHARMA 14632/A - 2268	16	M	24.08.2020	Negative
C23207	SUBHASH SHIVBALAK SHARMA 14631/A - 2267	52	M	24.08.2020	Negative
C23208	CHANDRAKANT RAMPAL MARSALE 14633/A - 2266	56	M	24.08.2020	Negative
C23209	BHARAT BANSILAL PASI 14648/A - 2288	42	M	24.08.2020	Negative
C23210	SUNIL HANMANT GAVLI 42930	31	M	24.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)