



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/09/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	01/10/2020 18:27 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33663	AMOL GAULKAR k - 5310	34	M	01.10.2020	Negative
C33665	SIDDHI LUNGE k - 5333	23	F	01.10.2020	Negative
C33666	ROMIT MISHRA k - 5388	20	M	01.10.2020	Negative
C33667	BIKU PRASAD k - 5371	52	M	01.10.2020	Negative
C33668	BHAVESH SHINDE k - 5383	24	M	01.10.2020	Negative
C33669	SEEMA KHANTELA k - 5382	33	F	01.10.2020	Negative
C33670	ADVESH TAMBAT k - 5344	15	M	01.10.2020	Negative
C33671	SHANTI YADAV k - 5363	50	F	01.10.2020	Negative
C33672	ANIKET GANGAVANE kx - 5327	33	M	01.10.2020	Negative
C33673	AMOL JADHAV kx - 5326	31	M	01.10.2020	Negative
C33674	ROSHAN CHAVHAN kx - 5330	23	M	01.10.2020	Negative
C33675	SATISH NAIK kx - 5329	26	M	01.10.2020	Negative
C33676	DEVEN GAVADE kx - 5328	22	M	01.10.2020	Positive
C33677	JYOTI PARAVE k - 5379	26	F	01.10.2020	Negative
C33678	SHRIA MISHRA k - 5386	21	F	01.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/09/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	01/10/2020 18:27 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33679	ASHWINI WAGH k - 5384	23	F	01.10.2020	Negative
C33680	VANDANA MISHRA k - 5387	41	F	01.10.2020	Negative
C33681	SHWETA TUPE k - 5380	22	F	01.10.2020	Negative
C33682	SHASHI BHARDWAJ kk - 5033	22	M	01.10.2020	Negative
C33683	SAGAR JADHAV kk - 5034	22	M	01.10.2020	Negative
C33684	VISHWAS CHANDE kk - 5031	41	M	01.10.2020	Negative
C33685	RAMESH KOKARE kk - 5032	30	M	01.10.2020	Negative
C33686	ASHOK PUJARI kk - 5035	34	M	01.10.2020	Negative
C33662	VIKAS DALVI K - 5339	39	M	01.10.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)