



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/10/2020 12:00 pm
Date and time of reporting (dd/mm/yyyy)	03/10/2020 11:42 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34036	PRAKASH KADAM	72	M	03.10.2020	Negative
C34037	PRESHITA KADAM	71	F	03.10.2020	Negative
C34035	AVINASH PISAL	26	M	03.10.2020	Negative
C34034	UJWALA VILAS TATHE	39	F	03.10.2020	Positive
C34033	SHYAMRAO RATHOD	33	M	03.10.2020	Negative
C34032	LAHU BHOSALE	32	M	03.10.2020	Negative
C34031	HELIANA R OLIVERA	5	F	03.10.2020	Negative
C34030	ROLEN OLIVERA	45	M	03.10.2020	Negative
C34029	BASTIAN OLIVERA	38	F	03.10.2020	Negative
C34028	ATUL VALUI	28	M	03.10.2020	Negative
C34027	VILAS TATHE	46	M	03.10.2020	Negative
C34026	PRATHMESH VIJAY SONAWANE	21	M	03.10.2020	Negative
C34025	SIDDHI VILAS TATHE	15	F	03.10.2020	Negative
C34024	AKASH GOSAVI	22	M	03.10.2020	Negative
C34023	JUILI THANEKAR	10	F	03.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/10/2020 12:00 pm
Date and time of reporting (dd/mm/yyyy)	03/10/2020 11:42 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34022	SANDHYA JADHAV	30	F	03.10.2020	Negative
C34021	SANTOSH DHOBLE	43	M	03.10.2020	Negative
C34020	SABNAMKHATOON GAFUR	35	F	03.10.2020	Negative
C34019	SNEHA KHARAT	50	F	03.10.2020	Positive
C34018	PRAMOD KATE	21	M	03.10.2020	Negative
C34017	MALVIKA BABHALE	26	F	03.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)