



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 04/09/2020 11:10 am |
| Date and time of reporting (dd/mm/yyyy) | 06/09/2020 19:53 pm |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | CSMH OPD |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|--|-----------|--------|------------------------|-----------------|
| C26051 | POOJA SARDE AA-238 | 23 | F | 06.09.2020 | Positive |
| C26053 | BABITA CHAUHAN N-2730 | 48 | F | 06.09.2020 | Negative |
| C26054 | PARAMOD SAFFI N-2731 | 28 | M | 06.09.2020 | Negative |
| C26055 | SANTOSH VISHWANATH BARGE 15053/A-2746 | 50 | M | 06.09.2020 | Negative |
| C26056 | SUNIL SHRIDHAR BAVBANDE 15054/A-2749 | 57 | M | 06.09.2020 | Negative |
| C26057 | RAUNAK KUMAR SHANKAR KHA 15056/A-2752 | 22 | M | 06.09.2020 | Negative |
| C26058 | MANGESH MADHUKAR DABHOLKAR 15055/A-2753 | 32 | M | 06.09.2020 | Negative |
| C26059 | ANKUSH POPAT BAGUL 15071/A- 2760 | 38 | M | 06.09.2020 | Negative |
| C26060 | SUBHASH YADAV 15074/A-2762 | 26 | M | 06.09.2020 | Negative |
| C26061 | RAJESH CHAGAN KOKFALE 15077/A- 2768 | 39 | M | 06.09.2020 | Negative |
| C26062 | POLLY SUKHDEV MAHTO 44532/A- 2779 | 17 | F | 06.09.2020 | Negative |
| C26063 | JYOTIRAM PANDURAND VARUTE 15060 | 46 | M | 06.09.2020 | Negative |
| C26064 | SALIM SIDDIQUI 2748 | 22 | M | 06.09.2020 | Negative |
| C26065 | KAVITA RAJESH BALUGADE | 32 | F | 06.09.2020 | Negative |
| C26066 | NAVNATH BABARAO LONDHE 15031 | 32 | M | 06.09.2020 | Negative |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)