



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	12/09/2020 12:35 pm
Date and time of reporting (dd/mm/yyyy)	15/09/2020 14:29 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29382	PRATIK SANTRAM SHARMA 3395	19	M	15.09.2020	Negative
C29381	VISHAL GAUTAM KATARNWARE 3415	32	M	15.09.2020	Negative
C29380	SANTOSH ZENDU MULE 3406	42	M	15.09.2020	Positive
C29379	SWATI SAWANT AA-3007	41	F	15.09.2020	Positive
C29377	DINKAR SAMBHAJI PATIL AS-386	48	M	15.09.2020	Negative
C29376	RIZWAN SHAIKH AP-225	6	M	15.09.2020	Negative
C29375	SANDIP MADHUKAR JADHAV 3441	49	M	15.09.2020	Negative
C29374	RAHUL GAUTAM SHIRSAT 3420	37	M	15.09.2020	Negative
C29373	AMBADAS SHIVAJI WAGHADE 3422	65	M	15.09.2020	Negative
C29372	SHARDA VINAYAK DESHMUKH 15805	76	F	15.09.2020	Negative
C29371	MOHAMMAD FAROOQ QURESHI 15794	48	M	15.09.2020	Negative
C29370	UMESH NEELKANTH CHINDARKAR 3438	26	M	15.09.2020	Negative
C29369	CHANDRAKANT DILIP SAGALE	33	M	15.09.2020	Negative
C29368	SONAM UTTAM CHAVAN 3423	30	F	15.09.2020	Negative
C29367	SONAL KISAN WAGHELA 3434	30	F	15.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	12/09/2020 12:35 pm
Date and time of reporting (dd/mm/yyyy)	15/09/2020 14:29 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29366	UMESH KUMAR DUBE 3426	39	M	15.09.2020	Negative
C29365	SHRUSHTI HARSHAWARDHAN SHINDE 3398	30	F	15.09.2020	Negative
C29364	AKSHAY LAXMAN PATIL 3394	19	M	15.09.2020	Negative
C29363	PRERANA JANGAM AP-313	29	F	15.09.2020	Negative
C29362	FAROOQUE ABUBAKAR BHATKAR 15809	47	M	15.09.2020	Negative
C29361	SARAJULLA JUYAULLAH SHAIKH 3445	19	M	15.09.2020	Negative
C29768	SHRAVAN RAJU VISHWAKRAMA 21050	45	M	15.09.2020	Negative
C29769	ROHIDAS JADHAV 15986	50	M	15.09.2020	Negative
C29760	MAHADEV GAIKWAD 15870	55	M	15.09.2020	Negative
C29761	ANJALI KASHINATH CHAVAN 15862	62	F	15.09.2020	Negative
C29762	POPAT SHANKAR SALVE 15869	65	M	15.09.2020	Positive
C29763	NILAM NIVRUTI CHAURE 15867	46	F	15.09.2020	Positive
C29764	HARSHAD GAIKWAD 15865	21	M	15.09.2020	Negative
C29765	TANISHA SODE 15872	15	F	15.09.2020	Positive
C29766	SAGAR EKNATH TORANE 15871	40	M	15.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	12/09/2020 12:35 pm
Date and time of reporting (dd/mm/yyyy)	15/09/2020 14:29 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29767	SUMAN RAGHUNATH SASE 15866	56	F	15.09.2020	Inconclusive (Repeat Fresh Sample)

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)