



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/10/2020 16:05 pm
Date and time of reporting (dd/mm/yyyy)	03/10/2020 12:24 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34110	CHANDRAKANT TEMKAR K-5502	42	M	03.10.2020	Negative
C34111	ASHISH PANCHAL K-5520	30	M	03.10.2020	Negative
C34112	SHUBHANGI DALVI K-5524	20	F	03.10.2020	Negative
C34113	DARSHANA CHOWBEY K-5526	30	F	03.10.2020	Positive
C34114	GEETANJALI PANIGRAHI KX-5772	22	F	03.10.2020	Negative
C34115	SIDDHESH KARGUTKAR KX-5768	32	M	03.10.2020	Negative
C34116	NARAYAN DENDOR KX-5771	24	M	03.10.2020	Negative
C34117	GANESH TARI K-5506	34	M	03.10.2020	Negative
C34118	SURAJKALI GUPTA KK-5485	60	F	03.10.2020	Negative
C34119	UMESH MISTRI KX-5769	31	M	03.10.2020	Negative
C34120	POOJA SHARMA KX-5773	23	F	03.10.2020	Negative
C34121	AISHWARYA KUMAR KUTTY K-5517	20	F	03.10.2020	Negative
C34122	PINTU NISAD KK-5483	32	M	03.10.2020	Negative
C34123	LAXMI KUMAWAT KK-5487	25	F	03.10.2020	Negative
C34124	RAKHIB ANSARI KX-5770	23	M	03.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/10/2020 16:05 pm
Date and time of reporting (dd/mm/yyyy)	03/10/2020 12:24 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34125	RAMCHANDRA SUTHAR KK-5488	36	M	03.10.2020	Negative
C34126	PAWAN PRADHAN KX-5775	21	M	03.10.2020	Negative
C34127	AUDESH GUPTA KK-5484	28	M	03.10.2020	Negative
C34128	KALPANA KAMAT K-5531	48	F	03.10.2020	Inconclusive (Repeat Fresh Sample)
C34129	RAJESH KANDOR K-5508	30	M	03.10.2020	Negative
C34130	NIMA WANKHEDE K-5503	13	F	03.10.2020	Negative
C34131	MALANA PILIGEN K-5501	80	M	03.10.2020	Negative
C34132	SUVARNA PATHADE K-5498	31	F	03.10.2020	Negative
C34133	DIVYAM TRIVEDI K-5485	37	M	03.10.2020	Negative
C34134	RAJENDRA HANSHRAJ KUMAWAT KK-5486	28	M	03.10.2020	Negative
C34135	AZAD MAURYA KK-5505	25	M	03.10.2020	Negative
C34136	MOHAN SAKPAL K-5525	60	M	03.10.2020	Positive
C34137	DEEPAK JASHTI K-5511	24	M	03.10.2020	Negative
C34138	SHRAVAN AADHMANE K-5509	48	M	03.10.2020	Negative
C34139	SARNAPPA POOJARI K-5550	65	M	03.10.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)