

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	25/06/2020 17:40 pm
Date and time of reporting (dd/mm/yyyy)	27/06/2020 13:05 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10718	SUREKHA TARE	44	F	27.06.2020	Negative
C10719	MANGAL KRUSHNA KADAM	52	F	27.06.2020	Positive
C10720	VIJAY OWHAL	48	М	27.06.2020	Negative
C10721	HARESHWAR KOLI	48	М	27.06.2020	Negative
C10722	BHARTI KOLI	46	F	27.06.2020	Negative
C10723	RAMCHANDRA PARKHE	48	M	27.06.2020	Negative
C10724	RAJENDRA PAWADE	60	M	27.06.2020	Negative
C10725	SANTOSH JOSHI	40	М	27.06.2020	Negative
C10726	YASHWANT INGALE	51	М	27.06.2020	Negative
C10727	SAROJ PRADHAN	32	F	27.06.2020	Negative
C10728	SAURABH SARVE	25	M	27.06.2020	Negative
C10729	JAYVANT MANJREKAR	55	M	27.06.2020	Negative
C10730	RAJARAM MALI	39	M	27.06.2020	Positive
C10731	KALAVATI GORIVALE	50	F	27.06.2020	Negative
C10732	UDAY S. SALVI	44	M	27.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	25/06/2020 17:40 pm
Date and time of reporting (dd/mm/yyyy)	27/06/2020 13:05 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10733	PRADIP SHINDE	57	М	27.06.2020	Negative
C10734	SAI PRASAD HAL	17	М	27.06.2020	Negative
C10735	KAMLABAI NIKAM	80	F	27.06.2020	Positive
C10736	BABITA KANOJIYA	20	F	27.06.2020	Negative
C10737	JAYRAJ KARGUTKAR	37	М	27.06.2020	Negative
C10738	SACHIN INGALE	34	M	27.06.2020	Negative
C10739	KAJAL INGLE	26	F	27.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)