

## NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

## COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

## **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	12/08/2020 12:10 pm	
Date and time of reporting (dd/mm/yyyy)	13/08/2020 12:53 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21308	JANKI GANPAT NANELKAR 495	50	F	13.08.2020	Negative
C21309	DEVIDAS BHASKAR KAYRE 18802	45	М	13.08.2020	Negative
C21310	AFSARI BEGUM SALMAN 18321	46	F	13.08.2020	Negative
C21312	RAMESH JAGANNATH PATIL 18980	64	M	13.08.2020	Negative
C21311	MAHADU MHASKAR 629	80	М	13.08.2020	Positive
C21349	RAJBALI SOBHAL YADAV 631	56	М	13.08.2020	Negative
C21350	WAMAN NAGO YADAV 18454	70	М	13.08.2020	Negative
C21351	SHABNAM M. MOMIN 632	45	F	13.08.2020	Negative
C21352	AROKIYARAJ M. CHETTIYAR 630	51	М	13.08.2020	Positive
C21353	ARUN ANANT MODAK 628	78	М	13.08.2020	Negative
C21354	SHRAVAN LOHAR ISO - 1	21	М	13.08.2020	Negative
C21355	RUPESHKUMAR VERMA 15671	25	М	13.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
  testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Verified by Dr. Shalmali Dharma Ph. D