

## NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

## COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

## **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	15/08/2020 16:24 pm	
Date and time of reporting (dd/mm/yyyy)	nd time of reporting (dd/mm/yyyy) 16/08/2020 17:39 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21941	BEBI GAIKWAD 325/W-2143	40	F	16.08.2020	Negative
C21940	VIJAYDIP KAMBLE 924/W-2142	12	М	16.08.2020	Negative
C21939	POOJA KAMBLE 923/W-2141	22	F	16.08.2020	Negative
C21938	MEGHA KAMBLE 922/W-2140	23	F	16.08.2020	Negative
C21937	CHETAN BALU BHOIR 893/W-2120	33	М	16.08.2020	Positive
C21936	SANTOSH GANPAT SARANG 883/W-2104	48	М	16.08.2020	Negative
C21935	DON DEVIS 902/W-2105	26	М	16.08.2020	Positive
C21934	BALU SHANTARAM BHOIR 903/W- 2129	58	М	16.08.2020	Negative
C22001	JANABAI MARUTI KARKATE	80	F	16.08.2020	Positive
C22002	RAJESH DAMODAR VAVAGE	46	М	16.08.2020	Positive
C22021	VIJAY LAXMI NATRAJ	24	F	16.08.2020	Negative
C22022	SOHAM LALA	7	М	16.08.2020	Negative
C22018	DAJI SITARAM VINERKAR	64	М	16.08.2020	Negative
C22019	SANA SHAIKH	26	F	16.08.2020	Negative
C22020	KAMAL AAHUJA	55	М	16.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
  testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws. Verified by

Dr.

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Dr. Shalmali Dharma Ph. D