

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	10/06/2020 15:00 pm
Date and time of reporting (dd/mm/yyyy)	11/06/2020 18:38 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7854	MANGAL V. SHINDE 7820	45	F	11.06.2020	Negative
C7855	GAUTAM GAIKWAD 7450	31	М	11.06.2020	Positive
C7856	AJINATH AVHAD 7701	40	М	11.06.2020	Positive
C7857	KISMATI S. SHAHARE 7803	46	F	11.06.2020	Negative
C7858	BALKRUSHAN CHINDARAM 7860	68	М	11.06.2020	Negative
C7859	BHAGWAN N. CHAVAN 7449	45	M	11.06.2020	Negative
C7860	NEELAM GANASH CHINDARKAR 7863	34	F	11.06.2020	Positive
C7861	SUCHITA B. CHINDARKAR 7861	64	F	11.06.2020	Positive
C7862	GANESH B. CHINDARKAR 7862	35	M	11.06.2020	Positive
C7863	AKSHAY D. CHINDARKAR 7864	22	М	11.06.2020	Negative
C7864	YOGITA V. CHAVAN 7772	20	F	11.06.2020	Negative
C7865	SONALI S. KHULAPE 6010	30	F	11.06.2020	Positive
C7866	PRAJAWAL S. KHULAPE 6007	7	М	11.06.2020	Negative
C7867	ATHARVA S. KHULAPE 6008	3	М	11.06.2020	Negative
C7868	KARISHMA M. JAISWAL 7786	23	F	11.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Verified by Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)