



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	07/07/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	08/07/2020 18:12 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13643	BHAGWAN PARDI	51	M	08.07.2020	Negative
C13644	INDRAJIT CHAVAN	54	M	08.07.2020	Positive
C13645	RUPESH V. SURVE	24	M	08.07.2020	Negative
C13646	VINEET WAGH	46	M	08.07.2020	Positive
C13647	KEDAR SHETKAR	32	M	08.07.2020	Positive
C13648	TRUPTI S. MHATRE	36	F	08.07.2020	Negative
C13649	USHA C. BANGAR	47	F	08.07.2020	Positive
C13650	SWAPNIL C. BANGAR	24	M	08.07.2020	Negative
C13651	KAUSTUB C. BANGAR	23	M	08.07.2020	Negative
C13652	SANGEETA GAVIT	30	F	08.07.2020	Negative
C13653	ARVIND MANE	30	M	08.07.2020	Negative
C13654	ASHOK A. PATIL	30	M	08.07.2020	Negative
C13655	DR. SHALAKA C. THORAT	39	F	08.07.2020	Negative
C13656	HARISH P. JADHAV	25	M	08.07.2020	Negative
C13657	SANDEEP S. DONGARE	40	M	08.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	07/07/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	08/07/2020 18:12 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13658	GANESH N. BORUDE	39	M	08.07.2020	Negative
C13659	RAKESH KUMAR JAISWAL	36	M	08.07.2020	Negative
C13660	VITHAL S. MORE	29	M	08.07.2020	Positive
C13661	ADITI B. ARAWANDKAR	38	F	08.07.2020	Negative
C13662	POORNIMA D. BADHANE	21	F	08.07.2020	Negative
C13663	SWATI N. BADHANE	22	F	08.07.2020	Negative
C13664	KIRAN K. PAWAR	30	M	08.07.2020	Positive
C13665	VIDYA L. GURAV	57	F	08.07.2020	Positive
C13666	SUKHADA P. VAIDYA	56	F	08.07.2020	Positive
C13667	SUYASH P. VAIDYA	26	M	08.07.2020	Negative
C13668	RUTUJA P. VAIDYA	31	F	08.07.2020	Negative
C13669	SHUBHANGI A. DHANMEHER	38	F	08.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)