



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	15/07/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	16/07/2020 18:25 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15421	RADHA NEMAT DAS	56	F	16.07.2020	Positive
C15422	BISWAJIT NEMAT DAS	34	M	16.07.2020	Negative
C15423	SUROJIT NEMAT DAS	39	M	16.07.2020	Negative
C15424	NAMITA VIJAY DONGARE	32	F	16.07.2020	Positive
C15425	SHAMA RAHUL BHOSALE	40	F	16.07.2020	Positive
C15426	RAHUL BALI BHOSALE	48	M	16.07.2020	Negative
C15427	HARSHAL RAHUL BHOSALE	07	M	16.07.2020	Negative
C15428	GANESH GOVIND MHASKE	68	M	16.07.2020	Negative
C15429	SHASHIKALA G MHASKE	60	F	16.07.2020	Positive
C15430	YOGESH S MHASKE	14	M	16.07.2020	Inconclusive (Repeat Fresh Sample)
C15431	SOMA DEVJYOTI MANDAL	30	F	16.07.2020	Positive
C15432	SAHIL DEVJYOTI MANDAL	06	M	16.07.2020	Positive
C15433	SAYALI R RANE	30	F	16.07.2020	Negative
C15434	NIDHI R RANE	15	F	16.07.2020	Negative
C15435	JYOTI A RANE	47	F	16.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	15/07/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	16/07/2020 18:25 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15436	PANDURANG K KHOKALE	39	M	16.07.2020	Negative
C15437	DEEPA C CHAVAN	33	F	16.07.2020	Negative
C15438	DRONAKSH P KHOKALE	08	M	16.07.2020	Negative
C15439	SUNIL M INGAWALE	41	M	16.07.2020	Negative
C15440	SAHIL SUNIL INGAWALE	08	M	16.07.2020	Negative
C15441	KAVITA SANJAY JAISWAL	32	F	16.07.2020	Negative
C15442	SANCHITA S JAISWAL	14	F	16.07.2020	Positive
C15443	DISHA SANJAY JAISWAL	08	F	16.07.2020	Positive
C15444	VIRONIKA S JAISWAL	02	F	16.07.2020	Positive
C15445	RESHMA Y RAWAL	24	F	16.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)