



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/09/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	25/09/2020 11:26 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32190	KASHINATH GANPAT GAIKAR	57	M	25.09.2020	Negative
C32191	SHYAMRAO GOVIND VISHE	58	M	25.09.2020	Negative
C32192	INDU LAXMAN SHASHTRI	55	F	25.09.2020	Positive
C32193	SHAN ALAM	27	M	25.09.2020	Negative
C32194	JAYASHREE CHANDRAKANT VISHE	55	F	25.09.2020	Negative
C32195	DIPAK MARUTI SABALE	38	M	25.09.2020	Inconclusive (Repeat Fresh Sample)
C32196	RAMESH LAXMAN DALVI	55	M	25.09.2020	Negative
C32197	ARVIND CHANDRAKANT CHAUDHARI	62	M	25.09.2020	Negative
C32198	DILIP BAPU JADHAV	55	M	25.09.2020	Positive
C32199	PANKAJ SUDHAKAR PATATI	34	M	25.09.2020	Negative
C32200	SANJAY BHAGWAT AAWATE	50	M	25.09.2020	Negative
C32201	BHANUDAS SHRIRANG GARUD	55	M	25.09.2020	Negative
C32202	RAVI LAXMAN LOHARE	40	M	25.09.2020	Negative
C32203	ANIL TUKARAM GUNJAL	31	M	25.09.2020	Negative
C32204	HARSHAL DILIP NAGARE	39	M	25.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/09/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	25/09/2020 11:26 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32205	BAPU CHINTAMAN PATIL	54	M	25.09.2020	Negative
C32206	CHINTAMAN GANGA SHINDE	45	M	25.09.2020	Negative
C32207	SHANTABAI RAM BHAV BENDKOLI	84	F	25.09.2020	Negative
C32208	DARSHANA RAJESH KUMAR SHIRKE	46	M	25.09.2020	Positive
C32209	RAJESHKUMAR PADMAKAR SHIRKE	47	M	25.09.2020	Negative
C32210	JIVESH SANDESH UBALE	2	M	25.09.2020	Negative
C32211	SADHANA SANDESH UBALE	28	F	25.09.2020	Positive
C32213	SUNITA DNYANESHWAR NICHILE	30	F	25.09.2020	Negative
C32214	MUGDHA DNYANESHWAR NICHILE	8	F	25.09.2020	Negative
C32215	JYOTI RAVINDRA NICHILE	30	F	25.09.2020	Inconclusive (Repeat Fresh Sample)
C32216	TUSHAR DNYANESHWAR NICHILE	10	M	25.09.2020	Negative
C32217	PRASAD DATTATRAY LONE	47	M	25.09.2020	Negative
C32218	SUREKHA MADHUKAR VEER	19	F	25.09.2020	Negative
C32219	RUPALI TULSHIRAM VEER	20	F	25.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)