

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	27/06/2020 14:15 pm
Date and time of reporting (dd/mm/yyyy)	28/06/2020 15:54 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11092	JAYASHREE R. PAWAR	72	F	28.06.2020	Negative
C11099	VASANT GAIKWAD	65	М	28.06.2020	Negative
C11100	REENA PRASAD	34	F	28.06.2020	Negative
C11085	HARSHAL DHUMAK	35	М	28.06.2020	Negative
C11084	SURESH PINGALE	56	М	28.06.2020	Negative
C11101	RUTIKA GHAGARE	29	F	28.06.2020	Negative
C11102	RAMDAS JADHAV	55	M	28.06.2020	Positive
C11103	RAKESH PAWAR	28	М	28.06.2020	Negative
C11104	PRASAD CHAUHAN	36	М	28.06.2020	Negative
C11098	SHITAL HINDALEKAR	48	F	28.06.2020	Negative
C11086	KALPANA SURVE	52	F	28.06.2020	Negative
C11090	ROHIT SOLANKI	35	М	28.06.2020	Negative
C11105	SATISH RAM DUBE	44	М	28.06.2020	Negative
C11097	HRISHIKESH SADRE	31	М	28.06.2020	Negative
C11106	GAUTAM SADRE	62	М	28.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	27/06/2020 14:15 pm
Date and time of reporting (dd/mm/yyyy)	28/06/2020 15:54 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11107	MOHINI MALI	47	F	28.06.2020	Negative
C11083	BABASAHEB N. SUPARE	51	М	28.06.2020	Negative
C11108	AMBIKA MALLA	31	F	28.06.2020	Positive
C11096	VIDYA JAISWAL	45	F	28.06.2020	Negative
C11109	TARA CHAVAN	48	F	28.06.2020	Negative
C11095	LALITA NAIK	45	F	28.06.2020	Negative
C11089	SAVITA PATOLE	37	F	28.06.2020	Negative
C11110	MANOHAR JADHAV	73	М	28.06.2020	Negative
C11088	KIRANDEVI SHARMA	38	F	28.06.2020	Negative
C11111	BASANTI LOGRE	44	F	28.06.2020	Negative
C11112	DHYANKRAM LOGRE	48	М	28.06.2020	Negative
C11094	SIDDHESH ABHIVANT	30	М	28.06.2020	Negative
C11093	KALYANI VAHADKAR	55	F	28.06.2020	Negative
C11087	MALTI BHOIR	75	F	28.06.2020	Negative
C11091	DATTA YASHWANT	40	М	28.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)