



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	05/07/2020 14:00 pm
Date and time of reporting (dd/mm/yyyy)	07/07/2020 12:37 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13194	TUSHAR KASAR 11065	27	M	07.07.2020	Positive
C13195	POOJA YADAV 11068	30	F	07.07.2020	Negative
C13196	BABY PATIL 11092	50	F	07.07.2020	Positive
C13197	HEMANT PATIL 11090	24	M	07.07.2020	Positive
C13198	RAM PATIL 11091	55	M	07.07.2020	Positive
C13199	GANESH KULTHE 11092	54	M	07.07.2020	Negative
C13200	NEHA JOSHI 11097	58	F	07.07.2020	Positive
C13201	SIDDESH MARAYE 11098	32	M	07.07.2020	Positive
C13202	SANAVI MARAYE 11099	32	F	07.07.2020	Positive
C13203	DR SIDDHARTH GAIKWAD 11101	41	M	07.07.2020	Positive
C13204	DR VARSHA KUNDLIKRAO SHINDE 37262	26	F	07.07.2020	Negative
C13205	SUDHIR MHATRE 11104	45	M	07.07.2020	Positive
C13206	EKNATH UMAJI GOTEKAR 11107	51	M	07.07.2020	Positive
C13207	KIRAN SHIVAJI KARANDE 11122	35	M	07.07.2020	Negative
C13208	DEEPAK DILIP GAWALE 11126	23	M	07.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	05/07/2020 14:00 pm
Date and time of reporting (dd/mm/yyyy)	07/07/2020 12:37 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13209	SANJAY JAYSINGH SOLANKI 11127	35	M	07.07.2020	Positive
C13210	MAYUR RAMDAS PATIL 11128	25	M	07.07.2020	Positive
C13211	SANDIP VITTHAL GAIKWAD 11129	54	M	07.07.2020	Negative
C13212	NILESH SAKHARAM POL 11131	26	M	07.07.2020	Negative
C13213	SHRADDHA SANJAY CHAUDHARY 11130	25	F	07.07.2020	Negative
C13214	SANDESH RAMDAS PATIL 11132	31	M	07.07.2020	Positive
C13215	SHUBHAM AANANDA SARUKTE 11133	21	M	07.07.2020	Positive

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)