



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	10/06/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	11/06/2020 19:25 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7908	PANKAJ NARAYAN BHALERAO B-523	29	M	11.06.2020	Negative
C7909	ROHIT ASHOK INGALE B - 522	30	M	11.06.2020	Negative
C7926	PHOOLCHANDRA SHARMA C - 1508	62	M	11.06.2020	Negative
C7927	RAJKUMAR YADAV C - 1231	35	M	11.06.2020	Negative
C7928	PRATIBHA PAWAR C - 2020	32	F	11.06.2020	Negative
C7929	FALGUNI RAUT C - 511	18	F	11.06.2020	Negative
C7930	DATTATRAY BHISE C - 2007	75	M	11.06.2020	Negative
C7931	PRAKASH WAGH C - 1418	28	M	11.06.2020	Positive
C7932	LAXMI GUPTA C - 2025	68	F	11.06.2020	Negative
C7933	NARAYAN SHETTY C - 923	43	M	11.06.2020	Negative
C7934	SUDDAM SHETTY C - 921	47	M	11.06.2020	Negative
C7935	SUKHDEV SHETTY C - 919	69	M	11.06.2020	Negative
C7936	SURESH UTEKAR C - 2218	66	M	11.06.2020	Negative
C7937	KISAN MORE C - 1626	58	M	11.06.2020	Negative
C7938	SUNITA MORE C - 1625	48	F	11.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	10/06/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	11/06/2020 19:25 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7939	SUREKHA UTEKAR C - 2223	56	F	11.06.2020	Positive
C7940	KRANTI DEV C - 406	64	F	11.06.2020	Negative
C7941	KISHOR DEV C - 406	70	M	11.06.2020	Negative
C7942	AARTI RAUT C - 511	40	F	11.06.2020	Negative
C7943	SURENDRAKUMAR YADAV C - 1232	36	M	11.06.2020	Negative
C7944	KALPANA SOLAS C - 510	36	F	11.06.2020	Negative
C7945	KAPIL RAM C - 1228	50	M	11.06.2020	Negative
C7946	SUNITA SURYAWANSHI C - 1224	50	F	11.06.2020	Negative
C7947	VAISHALI CHAVHAN C - 424	53	F	11.06.2020	Negative
C7948	VINAYAK MORE C - 633	70	M	11.06.2020	Negative
C7949	SUSHANT PAWAR C - 1530	32	M	11.06.2020	Positive
C7950	GOKUL DIMBAY C - 1210	78	M	11.06.2020	Negative
C7951	MANISHA SAWANE C - 2130	28	F	11.06.2020	Positive
C7952	JANARDHAN JADHAV C - 425	64	M	11.06.2020	Negative
C7953	KAMLESH DABRE C - 1101	45	M	11.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	10/06/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	11/06/2020 19:25 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7954	YAMUNABAI PAWAR C - 2020	65	F	11.06.2020	Negative
C7955	SHILAVANT SURYAWANSHI C - 1217	33	F	11.06.2020	Negative
C7956	VIJAYKUMAR YADAV C - 1213	36	M	11.06.2020	Negative
C7957	VAIBHAV CHAVHAN C - 426	32	M	11.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)