



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	04/10/2020 14:50 pm
Date and time of reporting (dd/mm/yyyy)	05/10/2020 20:44 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34829	ANKIT SUNIL SAHNI W-7215	27	M	05.10.2020	Negative
C34828	CHANDRAKANT MORE W-7180	65	M	05.10.2020	Negative
C34929	PREET JAIN W-7236	21	M	05.10.2020	Negative
C34931	TANISHKA BHUJBAL W-7231	12	F	05.10.2020	Negative
C34932	VAIBHAV BHUJBAL W-7232	17	M	05.10.2020	Negative
C34933	MONISH SUNIL MHATRE W-7239	26	M	05.10.2020	Negative
C34934	MANGAL GORE WP-1926	34	F	05.10.2020	Negative
C34935	SAFA IMRAN SAYYAD WP-2013	7	F	05.10.2020	Negative
C34936	SHIFA IMRAN SAYYAD WP-2014	30	F	05.10.2020	Negative
C34937	ASHISH GOLE WP-1946	23	M	05.10.2020	Negative
C34938	MAHENDRA KUMAR VERMA WP-1943	32	M	05.10.2020	Negative
C34939	SACHIN BECHAVDE WP-1927	31	M	05.10.2020	Negative
C34940	NIKITA RATHOD WP-1974	16	F	05.10.2020	Negative
C34941	PUSHPA NANDKUMAR BHUJBAL WP-7229	36	F	05.10.2020	Negative
C34942	PUJA RATHOD WP-1972	17	F	05.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)