



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/08/2020 15:45 pm
Date and time of reporting (dd/mm/yyyy)	10/08/2020 11:48 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C20792	HARSH RATNAPARKHE K - 1959	5	M	10.08.2020	Negative
C20793	BHIKUABAI PAGARE K - 1948	60	F	10.08.2020	Positive
C20794	DARSHAN KASAR K - 1944	28	F	10.08.2020	Negative
C20795	NIVRUTI KASAR K - 1945	36	M	10.08.2020	Positive
C20796	SHASHANK BENEGAL K - 1943	33	M	10.08.2020	Negative
C20797	CHANDRAKANT RATNAPARKHE K - 1941	68	M	10.08.2020	Positive
C20798	SHEELA BENEGAL K - 1942`	63	F	10.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)