

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	18/07/2020 16:35 pm	
Date and time of reporting (dd/mm/yyyy)	20/07/2020 15:27 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16306	RAVINDRA PRABHKAR MHATRE	43	M	20.07.2020	Negative
C16305	PRAKASH KRISHNA MAHAPADI	51	М	20.07.2020	Negative
C16304	NAYAN MANIK BHAVARTHE	28	М	20.07.2020	Negative
C16303	ARTI SAMEER PADWAL	26	F	20.07.2020	Negative
C16302	RAJARAM LAXAMAN THAKARE	35	M	20.07.2020	Negative
C16301	PRAVEEN AASARAM KOLI	48	М	20.07.2020	Negative
C16300	DATTATRAY S KEDAR	70	М	20.07.2020	Negative
C16299	SUNIL NAMDEV BOKAD	36	М	20.07.2020	Negative
C16298	DEEPAK PANDURAG JADHAV	49	М	20.07.2020	Negative
C16297	AMOL BALAJI MUNDE	35	М	20.07.2020	Negative
C16296	BHARTESH PAWAR	45	М	20.07.2020	Negative
C16295	MANGALA P. TELWANE	76	F	20.07.2020	Negative
C16294	GANAPAT SHANKAR GHOLAP	62	М	20.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)