



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/06/2020 13:45 pm
Date and time of reporting (dd/mm/yyyy)	17/06/2020 14:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8950	TEJAS DHOTRE C - 621	20	M	17.06.2020	Negative
C8951	SONAL DHOTRE C - 621	17	F	17.06.2020	Negative
C8952	ASHADEVI VISHWAKARMA C - 1013	60	F	17.06.2020	Negative
C8953	RAMKAM GODIYA C - 1015	44	M	17.06.2020	Negative
C8954	SUNITA VISHWAKARMA C - 1013	38	F	17.06.2020	Negative
C8955	LALITA DHOTRE C - 620	49	F	17.06.2020	Negative
C8956	NIRPAT JAISWAR C - 1128	55	M	17.06.2020	Negative
C8957	MAHADEV FADTARE C - 1022	73	M	17.06.2020	Negative
C8958	INDUBAI FADATARE C - 1022	75	F	17.06.2020	Negative
C8959	SUNITA KASAB C - 1019	32	F	17.06.2020	Negative
C8961	SANJAY SANGARE C - 617	30	M	17.06.2020	Negative
C8962	SURESH KADAM C - 414	26	M	17.06.2020	Negative
C8963	MANOJ VISHWAKARMA C - 1013	45	M	17.06.2020	Negative
C8964	SMIT KADAM C - 431	2	M	17.06.2020	Negative
C8965	KHAJENDRA MALLA C - 322	40	M	17.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/06/2020 13:45 pm
Date and time of reporting (dd/mm/yyyy)	17/06/2020 14:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8966	RAMBHADEVI MALLA C - 332	67	F	17.06.2020	Negative
C8967	SATYAWAN GHADIGAOKAR C - 308	35	M	17.06.2020	Negative
C8968	VIJAYA GHADIGAOKAR C - 306	58	F	17.06.2020	Negative
C8969	SONAM SANGARE C - 618	28	F	17.06.2020	Negative
C8970	AVINASH KAMBLE C - 318	27	M	17.06.2020	Negative
C8971	SAYALI SANGARE C - 618	26	F	17.06.2020	Negative
C8972	HARDIK BHOIR C - 629	12	M	17.06.2020	Negative
C8974	SANGEETA MOHITE C - 333	40	F	17.06.2020	Negative
C8975	SUNIL MOHITE C - 313	50	M	17.06.2020	Negative
C8976	SATISH PATHAK C - 1407	50	M	17.06.2020	Negative
C8977	MADHUSUDAN PATHAK C - 1407	85	M	17.06.2020	Negative
C8978	GAUTAM SABALE C - 1104	52	M	17.06.2020	Negative
C8979	ASHA KAILAS PATIL C - 1534	47	F	17.06.2020	Negative
C8980	SAINATH KAMBALE C - 1133	35	M	17.06.2020	Negative
C8981	PURNA GAIKWAD C - 1426	48	F	17.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/06/2020 13:45 pm
Date and time of reporting (dd/mm/yyyy)	17/06/2020 14:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8982	DARSHANA KAMBALE C - 1113	35	F	17.06.2020	Negative
C8983	MATHURA VENKAT KAMBALE C - 1113	55	F	17.06.2020	Negative
C8984	BINDU VISHWAKARMA C - 1033	48	F	17.06.2020	Negative
C8986	MANOBAT GAIKWAD C - 1426	50	M	17.06.2020	Negative
C8987	LALCHAND PATIL C - 1533	77	M	17.06.2020	Negative
C8988	DIKSHA BHUPARE C - 1519	23	F	17.06.2020	Negative
C8989	MAYA BAPU JADHAV C - 2330	26	F	17.06.2020	Negative
C8942	NILESH RAJARAM DAWKHAR B-713	35	M	17.06.2020	Positive
C8943	ARYAN AKELEKAR B-901	13	M	17.06.2020	Negative
C8944	AKSHATA AKELEKAR B-903	45	F	17.06.2020	Negative
C8946	KAVITA TORANE B-928	25	F	17.06.2020	Negative
C8947	PRASHANT ULHAS TORANE B-921	32	M	17.06.2020	Negative
C8949	SANCHIT DEVALEKAR B-1030	18	M	17.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)