



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601


Test Report


Date & Time of receipt of specimen (dd/mm/yyyy)	14/07/2020 14:30 pm
Date and time of reporting (dd/mm/yyyy)	15/07/2020 16:35 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15121	MUSKAN USMAN SHAIKH	21	F	15.07.2020	Negative
C15122	SUMAN BALASAHEB BHAT	35	F	15.07.2020	Negative
C15123	RAVI SINGH	39	M	15.07.2020	Positive
C15124	MEENA SINGH	52	F	15.07.2020	Negative
C15125	ANURAG CHAVAN	18	M	15.07.2020	Positive
C15126	LAXMI RAJU PARMAR	50	M	15.07.2020	Positive
C15127	FIROZ HYDER HASAN ALI SEHA	48	M	15.07.2020	Negative
C15128	ANKITA PRASHANT MHATRE	25	F	15.07.2020	Negative
C15129	MANI KISAN ONAWANE	68	M	15.07.2020	Positive
C15130	LATA VIJAY ONAWANE	38	F	15.07.2020	Negative
C15131	VIJAY KISAN ONAWANE	42	M	15.07.2020	Negative
C15132	KARAN VIJAY ONAWANE	22	M	15.07.2020	Positive
C15133	NEETU VIJAY ONAWANE	18	F	15.07.2020	Positive
C15134	ANSARI KABIL AHMED	23	M	15.07.2020	Negative
C15110	GOPAL KRISHNA PILLAI	49	M	15.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/07/2020 14:30 pm
Date and time of reporting (dd/mm/yyyy)	15/07/2020 16:35 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15111	DILIP NARAYAN SAVARKAR	35	M	15.07.2020	Negative
C15112	MUSTAQ ABUSHAHAMA AHMAD	35	M	15.07.2020	Negative
C15113	BIPIN SINGH	30	M	15.07.2020	Negative
C15114	MOHAMMAD SHAHID	33	M	15.07.2020	Negative
C15115	SHAIJAN MOHD HAYAT ANSARI	27	M	15.07.2020	Negative
C15116	NOORUDDIN ANSARI	42	M	15.07.2020	Negative
C15117	RAMKRISHNA SANTRA	28	M	15.07.2020	Negative
C15118	ANWAR ALI ANSARI	60	M	15.07.2020	Negative
C15119	SANDEEP VEDPRAKASH VERMA	24	M	15.07.2020	Negative
C15120	BILAL AHMED	25	M	15.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)