



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	01/09/2020 18:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24470	OMKAR JAIGOVIND JAISWAR 826	22	M	01.09.2020	Negative
C24471	JAIGOVIND SHAMKEVAL JAISWAR 825	45	M	01.09.2020	Negative
C24472	PANKAJ JAIGOVIND JAISWAR 828	25	M	01.09.2020	Positive
C24473	PRANIL CHANDRAKANT PAWAR 210	27	M	01.09.2020	Negative
C24474	HEMANT KESARILAL DHUMAL 803	20	M	01.09.2020	Negative
C24475	MANDAR HEMANT DHUMAL 801	20	M	01.09.2020	Negative
C24476	GANESH KESARILAL DHUMAL 803	62	M	01.09.2020	Negative
C24477	JYOTI KESARILAL DHUMAL 802	55	F	01.09.2020	Negative
C24478	SAVITA HARISH SHEDGE 730	38	F	01.09.2020	Negative
C24479	DHANASHREE HARISH SHEDGE 716	15	F	01.09.2020	Negative
C24480	MAYURI HARISH SHEDGE 716	11	F	01.09.2020	Positive
C24481	ARTI GOVINDA KALANDAR 732	27	F	01.09.2020	Inconclusive (Repeat Fresh Sample)
C24482	EKANSH GOVINDA KALANDAR 734	3	M	01.09.2020	Negative
C24483	SHRUTI MOHAN KALANDAR 714	6	F	01.09.2020	Negative
C24484	YASH MOHAN KALANDAR 714	8	M	01.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	01/09/2020 18:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24485	GEET GANESH KALANDAR 732	8	F	01.09.2020	Negative
C24486	SHRADDHA MOHAN KALANDAR 714	35	F	01.09.2020	Positive
C24487	GOVINDA NILESH KALANDAR 734	37	M	01.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)