



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	02/09/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	03/09/2020 18:11 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25056	DAYANAND TAMBE K - 3055	42	M	03.09.2020	Negative
C25057	VAISHALI KAMBLE K - 3056	36	F	03.09.2020	Negative
C25058	NEERAJ KAMBLE K - 3057	12	M	03.09.2020	Negative
C25059	RAGINI TIWARI K - 3060	21	F	03.09.2020	Negative
C25060	NIKHIL JOSHT K - 3062	29	M	03.09.2020	Positive
C25061	VISHNU OJHA K - 3063	38	M	03.09.2020	Negative
C25062	YASHWANT GOSAVI K - 3120	59	M	03.09.2020	Negative
C25063	KOMAL JAIN K - 3122	29	F	03.09.2020	Negative
C25064	ANJANA PRAJAPATI K - 2999	20	F	03.09.2020	Negative
C25065	GAYNVATI PRAJAPATI K - 2998	48	F	03.09.2020	Positive
C25045	DEEPAK PATIL K-3035	49	M	03.09.2020	Negative
C25046	DINESH GAOKAR K-3038	35	M	03.09.2020	Negative
C25047	SANJEEV TIWARI K-3041	33	M	03.09.2020	Negative
C25048	SURAJ BHOSALE K-3043	31	M	03.09.2020	Negative
C25049	SACHIN BHOSALE K-3044	33	M	03.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	02/09/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	03/09/2020 18:11 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25050	PRADIP GOLAMBADE K-3045	49	M	03.09.2020	Negative
C25051	GHANASHYAM YADAV K-3048	40	M	03.09.2020	Negative
C25052	RAHUL JAISWAL K-3049	24	M	03.09.2020	Negative
C25053	SAHIL GOGATE K-3051	26	M	03.09.2020	Negative
C25054	SURAJ PASWAN K-3052	18	M	03.09.2020	Negative
C25055	KISHOR KAMBLE K-3053	43	M	03.09.2020	Negative
C25044	VAIBHAV TAMBE K-3054	24	M	03.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)