



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	04/06/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	05/06/2020 12:33 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6624	HARSHADA VASANT PAWAR C - 514	21	F	05.06.2020	Positive
C6625	SHRUTIKA SUDHESH DALVI C - 1620	18	F	04.06.2020	Negative
C6626	ATHARVA SUDHESH DALVI C - 1621	13	M	05.06.2020	Positive
C6627	SUPRIYA S. DALVI C - 1621		F	04.06.2020	Negative
C6628	KAVITA YADAV C - 413	26	F	04.06.2020	Negative
C6629	JOKHURAM YADAV C - 434	50	M	04.06.2020	Negative
C6630	HIRAWATI YADAV C - 433	49	F	05.06.2020	Positive
C6631	ANSH YADAV C - 413	5 MONTHS	M	04.06.2020	Negative
C6632	HANUMANT LINGADALI C - 1911	46	M	04.06.2020	Negative
C6633	SHREEKANT LINGADALI C - 1906	21	M	05.06.2020	Positive
C6634	KOMAL DINESH GALPADE B - 405	28	F	04.06.2020	Negative
C6635	AMOL VINAYAK AMRUTKAR B	40	M	04.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)