



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	20/06/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	21/06/2020 18:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9769	HARSHAD AADHAV	26	M	21.06.2020	Negative
C9770	MANOJ B. DHUMAL	56	M	21.06.2020	Negative
C9771	PRIYANKA A. HADAWALE	28	F	21.06.2020	<b>Positive</b>
C9772	KAVITA ROHIDAS PALAKE	50	F	21.06.2020	Negative
C9773	SANDEEP SUTAR	33	M	21.06.2020	Negative
C9774	ARJUN M. NAIK	46	M	21.06.2020	Negative
C9775	JAYANTILAL G. JETHVA	74	M	21.06.2020	Negative
C9776	TEJAL S. DUMBRE	24	F	21.06.2020	<b>Positive</b>

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)