



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 11:50 am
Date and time of reporting (dd/mm/yyyy)	04/09/2020 19:30 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25360	PARAG PARULEKAR 15001/ A-2679	44	M	04.09.2020	Negative
C25361	SUJAY DEODATTA MORAJKAR 15000/ A-2680	39	M	04.09.2020	Negative
C25362	RAJKUMAR UPADHYAY 15002/ A-2681	22	M	04.09.2020	Negative
C25363	SUBHASH BABURAO SARAWADE 15003/ A-2683	56	M	04.09.2020	Negative
C25364	JOHN JACOB VALIETH 15005/ A-2687	76	M	04.09.2020	Negative
C25365	HEMA ANAND GANDHALIKAR 15009/ A-2690	38	F	04.09.2020	Negative
C25366	RANJANA RAJESH SHINDE 15012/ A-2695	22	F	04.09.2020	Negative
C25367	POONAM MANGESH MAHAJAN 416082/ A-2697	30	F	04.09.2020	Negative
C25368	DNYANESHWAR EKNATH DESHMUKH 18431/ A-2698	32	M	04.09.2020	Negative
C25369	LAXMINA DEVI RAJKUMAR MALI 31354/ A-2699	41	F	04.09.2020	Negative
C25370	SACHIN SHRIDHAR KHANVILKAR 15017/ A-2700	50	M	04.09.2020	Positive
C25371	SABB ANJUM SAYYAD 15018/ A-2701	25	F	04.09.2020	Negative
C25372	RAHUL VIJAY KHAIRNAR 15016/ A-2702	38	M	04.09.2020	Negative
C25373	ANKUSH BHUJANGRAO PANDAO 15022/ A-2703	26	M	04.09.2020	Negative
C25374	BLAISE A. FERNANDES 15020/ A-2706	24	M	04.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 11:50 am
Date and time of reporting (dd/mm/yyyy)	04/09/2020 19:30 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25375	PARWATI RAMCHANDRA AMBEKAR 15030/A-2709	70	F	04.09.2020	Negative
C25376	MANSI VIJAY JADHAV 2713/ A-2713	54	F	04.09.2020	Negative
C25590	POOJA PIRDHANANI AA-1646A	30	F	04.09.2020	Negative
C25377	MANSI BHADEKAR AA-1660	59	F	04.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)