



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	24/09/2020 14:30 pm
Date and time of reporting (dd/mm/yyyy)	25/09/2020 18:16 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KAUSA STADIUM QUARANTINE CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32467	VIKAS KANTILAL PATIL	30	M	25.09.2020	Positive
C32468	KARAN TARAK VERMA	30	M	25.09.2020	Positive
C32469	SHREEMATI AMIN SAHU	12	M	25.09.2020	Positive
C32470	ANKITA AMIN SAHU	18	F	25.09.2020	Positive
C32471	GITANJALI AMIN SHAHU	38	F	25.09.2020	Positive
C32472	AMIN NIRANJAN SHAHU	43	M	25.09.2020	Negative
C32473	SATYABHAMA MADHUKAR KALUNGE	47	F	25.09.2020	Negative
C32474	HARI LAXMAN MUSALE	40	M	25.09.2020	Positive
C32475	ANKIT ASHOK JADHAV	23	M	25.09.2020	Positive
C32476	SHIVJOR KANNAUJIYA	40	M	25.09.2020	Positive
C32477	PARVEZ KHAN	30	M	25.09.2020	Negative
C32478	MOHAMMAD ZEESHAN ANSARI	30	M	25.09.2020	Positive
C32479	JUMAI SIDDIQUI	30	M	25.09.2020	Negative
C32480	INTEZAR ALAM KHAN	33	M	25.09.2020	Negative
C32481	DEEPAK DATTARAM ADAKHALE	31	M	25.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	24/09/2020 14:30 pm
Date and time of reporting (dd/mm/yyyy)	25/09/2020 18:16 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KAUSA STADIUM QUARANTINE CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32482	FAISAL ABDUL MOHID KHAN	18	M	25.09.2020	Negative
C32483	RAJKUMAR DINANATH GUPTA	46	M	25.09.2020	<b>Positive</b>
C32484	DEEPAK DILIP BERDE	31	M	25.09.2020	Negative
C32485	MOHAMMAD MERAJ SHAIKH	32	M	25.09.2020	<b>Positive</b>
C32486	PRADIP KUMAR	38	M	25.09.2020	Negative
C32487	CHHEDILAL RAJBHAR	49	M	25.09.2020	Inconclusive (Repeat Fresh Sample)
C32488	HEMANT GAJANAN BHAGAT	40	M	25.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)