



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/07/2020 05:30 am
Date and time of reporting (dd/mm/yyyy)	15/07/2020 18:27 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15218	KISAN DAMAJI GORALE	45	M	15.07.2020	Negative
C15219	SONAL DHARMA KAPADI	26	F	15.07.2020	Positive
C15220	VEDIKA DHARMA KAPADI	7	F	15.07.2020	Positive
C15221	RUDRA DHARMA KAPADI	4	M	15.07.2020	Positive
C15222	YOGITA SOMANATH JAMDARE	37	F	15.07.2020	Negative
C15223	NARAYAN GANGAJI PALAV	25	M	15.07.2020	Negative
C15224	SAILI NARAYAN PALAV	24	F	15.07.2020	Negative
C15225	DIGAMBAR GANGOJI PALAV	31	M	15.07.2020	Negative
C15226	NILIMA DIGAMBAR PALAV	30	F	15.07.2020	Negative
C15227	LAXMI GANGOJI PALAV	15	F	15.07.2020	Negative
C15228	RASMI DIGAMBAR PALAV	3	F	15.07.2020	Negative
C15229	ROSHAN K THORAT	33	M	15.07.2020	Negative
C15230	KARISHMA PREMNATH DUBELE	28	F	15.07.2020	Negative
C15231	SUJATA CHITRANGAN SAHU	34	F	15.07.2020	Positive
C15232	SADHANA C. SAHU	16	F	15.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/07/2020 05:30 am
Date and time of reporting (dd/mm/yyyy)	15/07/2020 18:27 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15233	NILKAMAL C SAHU	12	F	15.07.2020	Negative
C15234	SANDHYA M. CHAUDHARI	42	F	15.07.2020	Positive
C15235	PRAVIN GOTIRAM HARAD	24	M	15.07.2020	Positive
C15236	MAHENDRA SANJAY JAMGHARE	22	M	15.07.2020	Positive
C15237	VIMAL G. DUGADE	60	F	15.07.2020	Positive
C15238	KAMAL VIRCHAND MADNANI	46	M	15.07.2020	Negative
C15239	KISAN P. TONDALEKAR	71	M	15.07.2020	Positive
C15240	SANKET HARISHCHANDRA JADHAV	26	M	15.07.2020	Negative
C15241	BHAGWAN NICHITE	53	M	15.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)