



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	04/10/2020 14:45 pm
Date and time of reporting (dd/mm/yyyy)	06/10/2020 11:22 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34864	RAJENDRA PRASAD	45	M	06.10.2020	Negative
C34871	KIRSHANA GOUD	19	M	06.10.2020	Negative
C34857	SONU KONIJIYA	28	M	06.10.2020	Negative
C34858	RUPESH SINGH	18	M	06.10.2020	Negative
C34859	ARVIND SINGH	35	M	06.10.2020	Negative
C34855	PRIYA GUPTA	35	F	06.10.2020	Negative
C34856	ANAND GUPTA	42	M	06.10.2020	Negative
C34872	VIJAYSHANKAR KANAJIYA	52	F	06.10.2020	Negative
C34870	ROHIT GOND	16	M	06.10.2020	Negative
C34847	MITHILESH YADAV	40	M	06.10.2020	Negative
C34862	DR. RAHUL SHELKE	35	M	06.10.2020	Negative
C34865	DR. VINAYAK B. ATRE	44	M	06.10.2020	Negative
C34866	SARTHAK V. ATRE	13	M	06.10.2020	Negative
C34867	YOGITA V. ATRE	44	F	06.10.2020	Positive
C34874	GEETA G. RATHOD	35	F	06.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	04/10/2020 14:45 pm
Date and time of reporting (dd/mm/yyyy)	06/10/2020 11:22 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34875	VIKRANT V. KULKARNI	51	M	06.10.2020	Negative
C34868	SNEHAL D. SAWANT	32	F	06.10.2020	Negative
C34869	ANKUSH N. MOHITE	28	M	06.10.2020	Negative
C34881	RICHA S. TUPSAKHARE	25	F	06.10.2020	Negative
C34876	GITASHRI R. KALE	46	F	06.10.2020	Negative
C34877	DR. RAJESH P. KALE	49	M	06.10.2020	Negative
C34878	SNEHA S. TUPASAKHARE	50	F	06.10.2020	Negative
C34873	SANTOSH B. CHOUDHARY	44	M	06.10.2020	Negative
C34879	AKHIL H. SHETTY	26	M	06.10.2020	Negative
C34863	SANJAY MOURYA	44	M	06.10.2020	Negative
C34860	RAMAVADH YADAV	51	M	06.10.2020	Negative
C34861	JEERADEVI RAISWAR	42	F	06.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)