



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	29/05/2020 23:45 pm
Date and time of reporting (dd/mm/yyyy)	30/05/2020 16:05 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C5702	SAHIL MAHADIK 5826	22	M	29.05.2020	Positive
C5703	DIGAMBAR GAIKAWAD 6050	32	M	29.05.2020	Negative
C5704	RAMESH VERMA 4972	41	M	29.05.2020	Negative
C5705	SANTOSH MORE 6136	35	M	29.05.2020	Negative
C5706	ROHSNI PATIL 4780	38	F	29.05.2020	Negative
C5707	AMOL SURYAWANSHI 6081	37	M	29.05.2020	Negative
C5708	AASHA TORANE 5969	45	F	29.05.2020	Negative
C5709	BHAUSO CHAUGULE 6082	28	M	29.05.2020	Negative
C5710	DHANASHREE KELKAR 32564	29	F	29.05.2020	Negative
C5711	CHANDRAKANT SHINDE 5979	57	M	29.05.2020	Positive
C5712	VIDYA PAWAR 32563	23	F	29.05.2020	Negative
C5713	AMOL KAMBLE 6083	32	M	29.05.2020	Positive
C5714	PALLAVI ANGRE 5967	45	F	29.05.2020	Negative
C5715	GAJMAL THAKRE 6107	35	M	29.05.2020	Negative
C5716	MANVEER DHAKOLIYA 5920	47	M	29.05.2020	Positive
C5717	SHAILADEVI DHAKOLIYA 5921	65	F	29.05.2020	Negative
C5718	MAHESH WAYKAR 5997	22	M	29.05.2020	Negative
C5719	SHAMKANT PATIL 6100	26	M	29.05.2020	Negative
C5720	PRATIBHA VISHWAKARMA 14156	17	F	29.05.2020	Negative
C5721	SHARDA ASMA NE 53	55	F	29.05.2020	Positive
C5722	AZAZ SHAIKH 52	27	M	29.05.2020	Negative
C5723	CHANDRAKANT JAGTAP 54	35	M	29.05.2020	Positive
C5724	ANIL JADHAV 14376	36	M	29.05.2020	Negative
C5725	ANKITA KAHAR 14259	9	F	29.05.2020	Inconclusive (Repeat Fresh Sample)
C5726	MAMTA KAHAR 14255	35	F	29.05.2020	Negative
C5727	SHREYA KAHAR 14256	4	F	29.05.2020	Inconclusive (Repeat Fresh Sample)


Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Verified by  
Dr. Shalmali Dharma Ph. D

Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)

	NATIONAL COVID-19 LABORATORY		DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.	
	Patient Name	Age (Yrs)	Gender	Date of sample testing
C5729	NIHAL NARAYAN SHETTY 57	25	M	29.05.2020
	KOMAL GAWAI 49	24	F	29.05.2020
C5730	COVID-19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601	52	M	29.05.2020
C5731	MOHD, UNUS SHAIKH 56	70	M	29.05.2020

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
 Dr. Shalmali Dharma Ph. D



Checked and Approved by  
 Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**

**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	29/05/2020 23:45 pm
Date and time of reporting (dd/mm/yyyy)	30/05/2020 16:05 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C5732	BABLU AAPPI 14258	25	M	29.05.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)