



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	25/09/2020 19:00 pm
Date and time of reporting (dd/mm/yyyy)	27/09/2020 10:20 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32719	SADHANA JADHAV	50	F	27.09.2020	Inconclusive (Repeat Fresh Sample)
C32720	GOPAL MOTIRAM SALAVE	45	M	27.09.2020	Negative
C32721	VIMAL VADAWALE	45	F	27.09.2020	Negative
C32722	RAJAN SASTE	54	M	27.09.2020	Negative
C32723	CHANDRAHAS PATIL	60	M	27.09.2020	Negative
C32724	SAMEER SHAIKH	23	M	27.09.2020	Negative
C32725	ROHIT MAHTO	25	M	27.09.2020	Negative
C32726	SONU KUMAR	26	M	27.09.2020	Negative
C32727	PADMAKAR ROKADE	51	M	27.09.2020	Negative
C32728	RAMCHANDRA KENJALE	59	M	27.09.2020	Negative
C32729	KARTIK GORI	25	M	27.09.2020	Negative
C32730	DAKSH BHANUSHALI	12	M	27.09.2020	Negative
C32731	GANJI BHANUSHALI	65	M	27.09.2020	Negative
C32732	MAHENDRA BHANUSHALI	38	M	27.09.2020	Negative
C32733	DILIP PASWAN	24	M	27.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	25/09/2020 19:00 pm
Date and time of reporting (dd/mm/yyyy)	27/09/2020 10:20 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32734	RAMUALI MAHTO	26	M	27.09.2020	Negative
C32735	NAVANATH NIKAM	26	M	27.09.2020	Negative
C32736	VASANT DHOLE	45	M	27.09.2020	Negative
C32737	DNYANESHWAR SONTAKKE	32	M	27.09.2020	Negative
C32738	VRUSHALI UMBARKAR	29	F	27.09.2020	Negative
C32739	PRASHANT SINKAR	48	M	27.09.2020	Negative
C32740	NIVEDH BALAKRISHNAN	43	F	27.09.2020	Negative
C32741	NIPA BALAKRISHNAN	43	F	27.09.2020	Negative
C32742	RUCHAIT SITAIVDEKAR	22	F	27.09.2020	Negative
C32743	PRISHA BALAKRISHNAN	6	F	27.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)