



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	31/05/2020 15:15 pm
Date and time of reporting (dd/mm/yyyy)	01/06/2020 14:13 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6036	KETAN BHOJANE 6409	22	M	31.05.2020	Negative
C6037	LAXMI NAMDEV SAGAR 6474	36	F	31.05.2020	Positive
C6038	SHAILESH KESHAV WAGHMARE 6482	36	M	31.05.2020	Positive
C6039	KAMAL BALKRISHNA BADHIRKE 6403	20	F	31.05.2020	Positive
C6040	MANOJ RAMESH CHAVAN 6492	29	M	31.05.2020	Inconclusive (Repeat Fresh Sample)
C6041	PARVATI SAGVEKAR 6504	72	F	31.05.2020	Negative
C6042	SEEMA NATHAJI GAIKWAD 6509	25	F	31.05.2020	Negative
C6043	LALITA LAXMAN BINNAR 6524	23	F	31.05.2020	Negative
C6044	SEEMA KHEMADE 6510	25	F	31.05.2020	Negative
C6045	JYOTI RAJARAM CHAVAN 6459	32	F	31.05.2020	Negative
C6046	ANIL KUMBHAR 6555	58	M	31.05.2020	Negative
C6047	SNEHA BHOJANE 6409	42	F	31.05.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)