



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/08/2020 13:20 pm
Date and time of reporting (dd/mm/yyyy)	20/08/2020 12:59 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22577	HARISHCHANDRA WAMAN MUNDOL	37	M	20.08.2020	Negative
C22578	AMOL ASHOK ANDADE	28	M	20.08.2020	Positive
C22579	SANJAY YASHWANT SHINDE	42	M	20.08.2020	Negative
C22580	MADAN RAMCHANDRA BHOIR	60	M	20.08.2020	Negative
C22581	RAJARAM SHANTARAM THAKRE	38	M	20.08.2020	Positive
C22582	MAHESH DATTATRAY KHAMBAYAT	30	M	20.08.2020	Positive
C22583	SANGITA DATTATRAY KHAMBAYAT	40	F	20.08.2020	Positive
C22584	AVINASH RAGHUNATH YADAV	34	M	20.08.2020	Positive
C22585	SHEVANTI NAGO WARGHADE	70	F	20.08.2020	Positive
C22586	BALARAM MUKUND TUNGAR	50	M	20.08.2020	Negative
C22587	NAMITA RAVINDRA PADWAL	50	F	20.08.2020	Positive
C22588	ZIPRU KONDU VEKHADE	77	M	20.08.2020	Negative
C22589	BEBIBAI MARUTI HARNE	54	F	20.08.2020	Negative
C22590	ANIL WAMAN MAHALUNGE	35	M	20.08.2020	Positive
C22591	JAGANNATH ANANTA LIHE	37	M	20.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)