



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/06/2020 11:00 am
Date and time of reporting (dd/mm/yyyy)	14/06/2020 15:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8389	DR J SENAPATI	56	M	14.06.2020	Negative
C8400	ASHWINI GAVAS 8351	49	F	14.06.2020	Positive
C8401	MANALI JADHAV 8157	21	F	14.06.2020	Negative
C8402	DEVIDAS SHARANAGAT 8327	28	M	14.06.2020	Positive
C8403	SHASHIKANT MASHAL 7010	51	M	14.06.2020	Negative
C8404	RAKESH PAWAR 7452	28	M	14.06.2020	Positive
C8405	VIDYA JAISWAR 7913	48	F	14.06.2020	Positive
C8406	CHAMPA SHINDE 7352	50	F	14.06.2020	Negative
C8407	SHOBHA CHITALE 8253	55	F	14.06.2020	Positive
C8408	GITESH SONAWANE 7989	30	M	14.06.2020	Negative
C8410	DR ANJALI BALAJI MADREWAR 8332	27	F	14.06.2020	Negative
C8411	DILAVAR DAWOOD SHAH 8326	49	M	14.06.2020	Negative
C8412	MANJIRI DIVAKAR GURAV 8278	20	F	14.06.2020	Positive
C8413	DR VRUSHALI KULKARNI 8295	40	F	14.06.2020	Negative
C8415	DR ANSHUMAN SHINDE 8328	28	M	14.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/06/2020 11:00 am
Date and time of reporting (dd/mm/yyyy)	14/06/2020 15:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8416	VIKAS SHUKLA 8208	20	M	14.06.2020	Negative
C8417	RAMCHANDRA PARTE 8199	48	M	14.06.2020	Positive
C8418	NAVNATH RAJAPKAR 8112	36	M	14.06.2020	Positive
C8419	KALURAM DONGRE 8288	52	M	14.06.2020	Positive
C8420	KUNAL GURAV 8155	23	M	14.06.2020	Positive
C8421	VIJAY OVHAL 8250	48	M	14.06.2020	Positive
C8422	MADHUKAR GURAV 8154	45	M	14.06.2020	Positive
C8423	SONALI JADHAV 8223	30	F	14.06.2020	Negative
C8424	BHAUSAHEB RAUT 4623	38	M	14.06.2020	Inconclusive (Repeat Fresh Sample)
C8425	YOGITA LILADHAR WALAM 8277	33	F	14.06.2020	Inconclusive (Repeat Fresh Sample)

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)