



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/08/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	06/08/2020 11:41 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C20127	IBRAHIM ALAM MHD NASEEM 431/W-1535	25	M	06.08.2020	Negative
C20128	AKHILESH VISHWANATH GUPTA 427/W-1534	27	M	06.08.2020	Negative
C20129	BHAGWAN B MORE W-1550	49	M	06.08.2020	Negative
C20130	DARSHANI DILIP GODEKAR 458/W- 1521	10	F	06.08.2020	Negative
C20131	RAJESAB BASHA SHAIKH 488/W- 1530	65	M	06.08.2020	Negative
C20132	PALLAVI VISHNU NEMADE 451/W- 1506	31	F	06.08.2020	Negative
C20133	MOHD FEIZAL IDRISI 429/W-1536	25	M	06.08.2020	Negative
C20134	NEELAM AJIT SHELAR 450/W-1532	38	F	06.08.2020	Negative
C20135	SUNANDA BALSHIRAM BOMBLE W- 1515	50	F	06.08.2020	Negative
C20136	RAMRAJ LODHIRAM YADAV 425/W- 1525	40	M	06.08.2020	Negative
C20137	KAVYA PRASAD THAKUR W-1548	07	F	06.08.2020	Negative
C20138	MOHD ANWAR ABDUL RASHID 428/W-1537	33	M	06.08.2020	Negative
C20140	RAZAK INDRESH KUMAR 426/W- 1541	25	M	06.08.2020	Negative
C20141	ARCHANA PRASAD THAKUR W- 1549	33	F	06.08.2020	Negative
C20142	RAJU SHANKAR PATIL 464/W-1543	40	M	06.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/08/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	06/08/2020 11:41 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C20143	MITHILESH DEVANAND MOURYA 430/W-1540	29	M	06.08.2020	Negative
C20144	AKSHAY MOHAN KANK 424/W- 1510	24	M	06.08.2020	Negative
C20145	RUSHIKESH TANAJI GAIKWAD 420/W-1503	27	M	06.08.2020	Negative
C20146	PRATIK DILIP GADEKAR 459/W- 1523	07	M	06.08.2020	Negative
C20147	PARKASH SITARAM POTDAR 423/W-1507	74	M	06.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)