



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	20/07/2020 13:15 pm
Date and time of reporting (dd/mm/yyyy)	21/07/2020 13:13 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16554	RAJNI SOLANKI 310	39	F	21.07.2020	Negative
C16555	VARSHA RASAL 303	25	F	21.07.2020	Negative
C16556	VASUDHA RASAL 303	25	F	21.07.2020	<b>Positive</b>
C16557	VAISHALI DERE 311	42	F	21.07.2020	Inconclusive (Repeat Fresh Sample)
C16558	SHRAVAN DERE 311	19	M	21.07.2020	Negative
C16559	MANDA VAAJE 310	52	F	21.07.2020	Negative
C16560	RANJANA KONDE 304	50	F	21.07.2020	Negative
C16561	VARSHA MAHADIK 315	40	F	21.07.2020	Negative
C16562	HIRABAI JADHAV 315	60	F	21.07.2020	Negative
C16563	SUHAS BHUWAD 401	38	M	21.07.2020	Negative
C16564	KAMLESH WAGH 404	34	M	21.07.2020	Negative
C16565	SURESH VARMA 415	45	M	21.07.2020	Negative
C16566	VISHVANATH KAMBLE 416	35	M	21.07.2020	Negative
C16567	MAHESH SAGALE 412	36	M	21.07.2020	Negative
C16580	ONKAR SHRIDHAR SATAM 401	30	M	21.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	20/07/2020 13:15 pm
Date and time of reporting (dd/mm/yyyy)	21/07/2020 13:13 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16581	SANDIP LAVANDE 402	45	M	21.07.2020	Negative
C16582	PRANAV NARAYAN JAGDALE 418	14	M	21.07.2020	Negative
C16583	ARJUN RAMCHANDRA BOTRE 401	28	M	21.07.2020	Negative
C16568	SUDHKAR KANHOKAR 412	52	M	21.07.2020	Negative
C16569	DEEPAK AGRARI 412	32	M	21.07.2020	Negative
C16570	MAHESH SAWANT 412	42	M	21.07.2020	Negative
C16571	SWAPNIL GONGARKAR 402	28	M	21.07.2020	Negative
C16572	PRALHAD PALE 418	42	M	21.07.2020	Negative
C16573	KRUSHNAKANT KHEDIKAR 415	47	M	21.07.2020	Negative
C16574	ARIDHAM DAL 416	25	M	21.07.2020	Negative
C16575	AMAY DERE 412	16	M	21.07.2020	Negative
C16576	SAMIR SHINDE 402	43	M	21.07.2020	Negative
C16577	SANTOSH PANAGATI 410	40	M	21.07.2020	<b>Positive</b>
C16578	SINU P. GHATI 410	37	M	21.07.2020	Negative
C16579	MARUTI KRISHNA KONDUSKAR 415	58	M	21.07.2020	<b>Positive</b>

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**

**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	20/07/2020 13:15 pm
Date and time of reporting (dd/mm/yyyy)	21/07/2020 13:13 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16584	AJIT DATTATRAY KODAR 411	62	M	21.07.2020	Negative
C16585	BHAU SHIVAM JADHAV 416	47	M	21.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)