



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

|   |                     |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 03/07/2020 12:30 pm |
| Date and time of reporting (dd/mm/yyyy)         | 05/07/2020 13:29 pm |
| SPECIMEN DETAILS                                | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL            | CSMH IPD            |

| Sample ID | Patient Name                    | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2      |
|-----------|---------------------------------|-----------|--------|------------------------|-----------------|
| C12652    | BHANUMATI PRAMOD PATIL<br>320   | 57        | F      | 05.07.2020             | <b>Positive</b> |
| C12651    | PRAKASH JANGAM TUKARAM<br>16601 | 45        | M      | 05.07.2020             | Negative        |
| C12650    | SUMAN SHIVAJI KAMBLE 16450      | 45        | F      | 05.07.2020             | Negative        |
| C12653    | POOJA SURESH NANOTE 16568       | 24        | F      | 05.07.2020             | Negative        |
| C12654    | LAXMAN PATIL 319                | 68        | M      | 05.07.2020             | <b>Positive</b> |
| C12863    | ASHOK ANANT PALAMBE             | 53        | M      | 05.07.2020             | Negative        |

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)