



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	25/07/2020 12:35 pm
Date and time of reporting (dd/mm/yyyy)	26/07/2020 14:08 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17727	VATSALYA NAMDEV VAVAD 494	67	F	26.07.2020	<b>Positive</b>
C17726	DR. SHWETA SHETKAR	30	F	26.07.2020	Negative
C17724	KAMALA HARIDAS PATIL 501	34	F	26.07.2020	<b>Positive</b>
C17723	IRFAN KHAN 502	15	M	26.07.2020	Negative
C17722	RAGHUNATH KANADE 487	53	M	26.07.2020	<b>Positive</b>
C17721	RAMKUBER SHARMA 17877	36	M	26.07.2020	Negative
C17720	JANKI NANELKAR 495	50	F	26.07.2020	Negative
C17719	VIJAY MADHUKAR WAGH 500	47	M	26.07.2020	Negative
C17718	NANA GANPAT SHIRODE 499	55	M	26.07.2020	<b>Positive</b>
C17728	PRATIKSHA KAPURE 17961	28	F	26.07.2020	Negative
C17717	GANESH UTTAM BHOITE 17891	36	M	26.07.2020	Negative
C17716	MANOJ NATH 18008	38	M	26.07.2020	<b>Positive</b>

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)