

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Data 0 Times of managing of an animous A	(11/2006 1000 1000 1000 1000
Date & Time of receipt of specimen ((dd/mm/yyyy) 25/07/2020 16:25 pm
Date and time of reporting (dd/n	nm/yyyy) 26/07/2020 17:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER /	HOSPITAL BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17868	VANITA VISHWAS KAMBLE 728	34	F	26.07.2020	Negative
C17869	VISHWAS PANDURANG KAMBLE 727	55	M	26.07.2020	Negative
C17870	LEELADHAR SHELKE 801	50	М	26.07.2020	Positive
C17871	KAUSTABH LEELADHAR SHELKE 801	15	M	26.07.2020	Positive
C17872	PUNAM SHARMA 732	30	F	26.07.2020	Negative
C17873	POOJA SHARMA 731	29	F	26.07.2020	Negative
C17874	HEMA SHARMA 733	24	F	26.07.2020	Negative
C17875	SAHIL SHARMA 716	20	М	26.07.2020	Negative
C17876	ARYAN SHARMA 714	14	М	26.07.2020	Negative
C17877	SAKSHI SHARMA 713	17	F	26.07.2020	Negative
C17878	SUNITA SHARMA 734	17	F	26.07.2020	Positive
C17879	YASH SHARMA 715	16	М	26.07.2020	Negative
C17880	SURENDRA RAMDHANI SHARMA 730	57	М	26.07.2020	Negative
C17881	RITA SHARMA 729	45	F	26.07.2020	Negative
C17882	MAHENDRA INDULKAR 1431	32	М	26.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)