

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/06/2020 18:10 pm	
Date and time of reporting (dd/mm/yyyy)	11/06/2020 13:54 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7771	SHANTABAI KAMBLE C802	68	F	11.06.2020	Negative
C7772	GUNVANTI KAMBLE C802	65	F	11.06.2020	Negative
C7773	RAVINDRANATH SHRIGAVKAR C2304	56	М	11.06.2020	Negative
C7774	YASHWANT BHADGAJKAR C818	64	М	11.06.2020	Negative
C7775	SHARMILA SHARMA C834	42	F	11.06.2020	Negative
C7776	SONU SHANKAR GUPTA C2209	29	М	11.06.2020	Negative
C7777	SANDEEP GUPTA C2210	24	М	11.06.2020	Negative
C7778	BHAGYWANTI GUPTA C2211	47	F	11.06.2020	Negative
C7779	REKHA GUPTA C2212	34	F	11.06.2020	Negative
C7780	SHEELA YADAV C1117	52	F	11.06.2020	Negative
C7781	MAHADEV JATI C1430	50	М	11.06.2020	Inconclusive (Repeat Fresh Sample)

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)