



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	01/10/2020 14:50 pm
Date and time of reporting (dd/mm/yyyy)	02/10/2020 13:39 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33840	REKHA R. TELAVANE	66	F	02.10.2020	Negative
C33839	RUPESE R.TELAVANE	41	M	02.10.2020	Negative
C33838	NALINI B. THORAT	40	F	02.10.2020	Negative
C33837	OM R. RAUT	15	M	02.10.2020	Negative
C33836	SHWETA M. HAMBIR	25	F	02.10.2020	Positive
C33835	RAJESH K. RAUT	54	M	02.10.2020	Negative
C33834	PRITI S. GUPTA	26	F	02.10.2020	Negative
C33833	SUDHIR A. CHALKE	31	M	02.10.2020	Negative
C33832	VIJAY B. DEVARE	41	M	02.10.2020	Negative
C33831	KADAMBARI R. SHINDE	30	F	02.10.2020	Negative
C33830	CHINTAMANI R. KANEKAR	23	M	02.10.2020	Negative
C33829	SUNIL P. LOKHANDE	54	M	02.10.2020	Negative
C33828	SAMRUDDHI M. HAMBIR	17	F	02.10.2020	Negative
C33827	SHASHVATI S. THANEKAR	7	F	02.10.2020	Negative
C33826	NILESH S. KHANVILKAR	32	M	02.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	01/10/2020 14:50 pm
Date and time of reporting (dd/mm/yyyy)	02/10/2020 13:39 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33825	SANGHARSH M. TAJANE	20	M	02.10.2020	Positive
C33851	SANDEEP A MALAVI	50	M	02.10.2020	Negative
C33850	PRANALI GHONE	34	F	02.10.2020	Negative
C33849	ARUN D JADHAV	39	M	02.10.2020	Negative
C33848	NAMITA B HEREKAR	40	F	02.10.2020	Negative
C33847	DINESH KARNEKAR	34	M	02.10.2020	Negative
C33846	RASHMI R TELAVANE	36	F	02.10.2020	Negative
C33845	MINAL M HAMBIR	52	F	02.10.2020	Negative
C33844	AUDUMBAR B THORAT	25	M	02.10.2020	Negative
C33843	VISHAL R TELAVANE	38	M	02.10.2020	Negative
C33842	SEIRA S THANEKAR	15	F	02.10.2020	Negative
C33841	SONALI S THANEKAR	41	F	02.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)