



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	20/06/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	21/06/2020 13:55 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9691	SAYALI SHIRKE 1402	26	F	21.06.2020	Negative
C9694	CHAITALI JOSEPH 2211	44	F	21.06.2020	Negative
C9695	HISABAI DASHRATH KALE 1814	60	F	21.06.2020	Negative
C9696	HITESH GOGAWALE 1212	28	M	21.06.2020	Negative
C9697	CHAYA NAVNATH KALE 1832	33	F	21.06.2020	Negative
C9698	SAIF KAJI 2325	20	M	21.06.2020	Negative
C9699	SAUD KAJI 2327	17	M	21.06.2020	Negative
C9700	REKHA DALVI 2424	32	F	21.06.2020	Negative
C9701	RAJENDRA SURYAVANSHI 2109	45	M	21.06.2020	Negative
C9702	SAVITA KHAIRE 2105	40	F	21.06.2020	Negative
C9670	KAKASAHEB SOLAS C - 929	42	M	21.06.2020	Negative
C9671	SHRIRANG SURVE C - 934	70	M	21.06.2020	Negative
C9672	KIMAYA SURVE C - 933	10	F	21.06.2020	Negative
C9673	SURESH KAHAW C - 922	36	M	21.06.2020	Negative
C9674	TILAKCHAND GHOGARE C - 918	52	M	21.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	20/06/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	21/06/2020 13:55 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9676	KUNDA GHAGARE C - 923	42	F	21.06.2020	Negative
C9677	SUMAN SADASHIV JAWADE C - 2117	70	F	21.06.2020	Negative
C9679	RAMCHAND JAISAWAL C - 2119	52	M	21.06.2020	Negative
C9680	SHUBHAM KHAIRE C - 2112	40	M	21.06.2020	Negative
C9681	SUNANDA KHAIRE C - 425	67	F	21.06.2020	Negative
C9682	SUNIL GAIKWAD C - 1230	35	M	21.06.2020	Negative
C9683	MALAN GAIKWAD C - 1226	49	F	21.06.2020	Negative
C9684	AMOL GAIKWAD C - 1218	33	M	21.06.2020	Negative
C9685	OMKAR GOGAWALE C - 1211	29	M	21.06.2020	Negative
C9686	RAJU KANOJIYA C - 912	45	M	21.06.2020	Negative
C9687	PRAKASH SHRIRANG SURVE C - 913	41	M	21.06.2020	Negative
C9688	ASHA KANOJIYA C - 910	45	F	21.06.2020	Negative
C9689	SANDHYA SURVE C - 933	36	F	21.06.2020	Negative
C9690	RANJANA SURYAVANSHI C - 2108	40	F	21.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)