



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/09/2020 13:10 pm
Date and time of reporting (dd/mm/yyyy)	18/09/2020 19:54 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30689	JAGRUTI PUNDALIK SASE	41	F	18.09.2020	Negative
C30690	PARI PUNDALIK SASE	14	F	18.09.2020	Negative
C30691	MAHENDRA SADASHIV KADAM	37	M	18.09.2020	Negative
C30692	RUTU VIJAY PODDAR	50	F	18.09.2020	Negative
C30693	DANNY DANIEL PATHALIL	38	M	18.09.2020	Positive
C30694	VINOD SOLOMON	39	M	18.09.2020	Negative
C30695	ANIL ABHIMANNYU BAGAL	53	M	18.09.2020	Negative
C30696	DATTATRAY VITTHAL GHODVINDE	70	M	18.09.2020	Negative
C30697	PRADNYA PANKAJ VEKHANDE	29	F	18.09.2020	Negative
C30668	GURUNATH NAMDEV VISHE	44	M	18.09.2020	Negative
C30669	HARICHANDRA SHANKAR BHERE	58	M	18.09.2020	Negative
C30670	DAMODAR BUDHAJI NICHITE	60	M	18.09.2020	Positive
C30671	YUVRAJ HARI BARVE	56	M	18.09.2020	Positive
C30672	SUNIL DATTATRAY PANSARE	44	M	18.09.2020	Negative
C30673	PRATIK PANDURANG KAMATKAR	35	M	18.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/09/2020 13:10 pm
Date and time of reporting (dd/mm/yyyy)	18/09/2020 19:54 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30674	DIPAK NAMDEV DINKAR	35	M	18.09.2020	Inconclusive (Repeat Fresh Sample)
C30675	KASHINATH GOMA MARADE	38	M	18.09.2020	Negative
C30676	PAWANKUMAR GULABRAO PAWAR	34	M	18.09.2020	Negative
C30677	KARUNA KASHINATH MARADE	27	F	18.09.2020	Negative
C30678	SANTOSH SITARAM GODADE	49	M	18.09.2020	Positive
C30679	KRUSHNA RAMA BHOIR	65	M	18.09.2020	Positive
C30680	AMOL ARVIND SHETE	37	M	18.09.2020	Inconclusive (Repeat Fresh Sample)
C30681	SURYAKANT BALKRUSHNA NANDE	42	M	18.09.2020	Inconclusive (Repeat Fresh Sample)
C30682	MANJULA BALKRUSHNA NANDE	65	F	18.09.2020	Positive
C30683	SUDAM PUNJYA BINNAR	38	M	18.09.2020	Negative
C30684	KISHOR LILADHAR GANATRA	55	M	18.09.2020	Negative
C30685	KANTILAL DAJI SHIRKE	34	M	18.09.2020	Positive
C30686	SUDHAKAR RANGUSHETH KABADI	68	M	18.09.2020	Negative
C30687	SUSHANT SUDHAKAR KABADI	26	M	18.09.2020	Negative
C30688	MOHASIN AAMIN SHAIKH	28	M	18.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)