



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/10/2020 19:20 pm
Date and time of reporting (dd/mm/yyyy)	06/10/2020 15:37 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Vartak Nagar , Ambedkarbhawan

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34642	VINOD INGLE V-18591	32	M	06.10.2020	Negative
C34641	MITHILESH KANNAUJIYA V-18588	30	M	06.10.2020	Negative
C34640	RAIS DESHPANDE V-18578	32	M	06.10.2020	Negative
C34639	CHANDRAKANT MORE V-18577	57	M	06.10.2020	Negative
C34638	NAMDEV MAHADU WAYKAR V-18407	65	M	06.10.2020	Negative
C34637	MANJU BISTH V-18596	27	F	06.10.2020	Negative
C34636	ANIKET PANCHAL V-18424	38	M	06.10.2020	Negative
C34635	MIRZA ILIYAS V-18595	27	M	06.10.2020	Negative
C34634	DHARNITHAR PANDE V-18453	34	M	06.10.2020	Negative
C34633	SURAUYA ANSARI V-18594	25	F	06.10.2020	Negative
C34632	BANARSILAL PANDE V-18600	57	M	06.10.2020	Negative
C34631	DHARAMRAJ YADAV V-18452	30	M	06.10.2020	Negative
C34630	VISHAL VISHWAKARMA V-18587	20	M	06.10.2020	Negative
C34629	KARAN KRUSHANA WANGAL V-18415	18	M	06.10.2020	Negative
C34628	AISHAWARYA MORE V-18421	24	F	06.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/10/2020 19:20 pm
Date and time of reporting (dd/mm/yyyy)	06/10/2020 15:37 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Vartak Nagar , Ambedkarbhawan

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34627	NAMRATA POPHALE V-18409	53	F	06.10.2020	Negative
C34626	MANJULA ZIMAN V-18418	55	F	06.10.2020	Negative
C34625	SAKSHI KELASKAR V-18592	21	F	06.10.2020	Negative
C34624	ROSHAN NUMBRKAR V-18590	26	M	06.10.2020	Negative
C34623	AKSHAY JADHAV V-18405	23	M	06.10.2020	Negative
C34622	ROSHAN GAWATI V-18414	32	M	06.10.2020	Negative
C34621	VIKASH SINGH V-18580	30	M	06.10.2020	Negative
C34620	MOHD ADIL V-18465	26	M	06.10.2020	Negative
C34619	SAMEER CHAVHAN V-18423	34	M	06.10.2020	Negative
C34618	PRASAD YAMGEKAR V-18589	25	M	06.10.2020	Negative
C34617	KARUNA VEERABABU V-18598	31	F	06.10.2020	Negative
C34616	SHITAL NIMALE V-18420	24	F	06.10.2020	Negative
C34615	PRASAD BHANDE V-18470	25	M	06.10.2020	Negative
C34614	VISHWAL PATIL V-18574	23	F	06.10.2020	Negative
C34613	ARJUN KASHYAP V-18451	24	M	06.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/10/2020 19:20 pm
Date and time of reporting (dd/mm/yyyy)	06/10/2020 15:37 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Vartak Nagar , Ambedkarbhawan

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34612	SAMAD AASAMAT V-18599	28	M	06.10.2020	Negative
C34611	MUGDHA PANCHAL V-18425	36	F	06.10.2020	Negative
C34610	DEEPMALA MHASDE V-18401	37	F	06.10.2020	Negative
C34609	KIRAN KUMAR MHASDE V-18400	45	M	06.10.2020	Negative
C34608	SAYALI VICHARE V-18406	27	F	06.10.2020	Negative
C34607	GAURAV CHAVAN V-18585	32	M	06.10.2020	Negative
C34606	ROSHANI JAISWAR V-18597	24	F	06.10.2020	Negative
C34605	CHANDA PADAVE V-18593	29	F	06.10.2020	Negative
C34604	SUMITRA DHONDE V-128419	55	F	06.10.2020	Negative
C34603	VINOD KISAN KAMBLE V-18412	39	M	06.10.2020	Negative
C34602	OM CHAVAN V-18398	18	M	06.10.2020	Negative
C34601	PAWAN MALI V-18586	22	M	06.10.2020	Negative
C34600	MILIND SUBHASH DESALE V-18404	37	M	06.10.2020	Negative
C34599	JITENDRA WARKHADE V-18408	21	M	06.10.2020	Negative
C34598	GORAK L KAMBLE V-18411	38	M	06.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/10/2020 19:20 pm
Date and time of reporting (dd/mm/yyyy)	06/10/2020 15:37 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Vartak Nagar , Ambedkarbhawan

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34597	AMITA RANE V-18393	67	F	06.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)