



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	28/09/2020 12:50 pm
Date and time of reporting (dd/mm/yyyy)	29/09/2020 14:34 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33160	RAMDAS NIVRUTTI AAWATE	55	M	29.09.2020	Negative
C33161	SANJAY BHAGWAN PATIL	51	M	29.09.2020	Negative
C33162	RAJENDRA TRYAMBAK GIR BAVA	45	M	29.09.2020	Negative
C33163	SANGITA SANTOSH NIPURTE	50	F	29.09.2020	Negative
C33164	JIYALAL BHAGELURAM PRAJAPATI	60	M	29.09.2020	Positive
C33165	JYOTI RAVINDRA NICHITE	30	F	29.09.2020	Positive
C33166	KALPANA LAXMAN BONDRE	50	F	29.09.2020	Negative
C33167	KALYANI PRAVIN MAID	29	F	29.09.2020	Positive
C33168	RAHUL RAJKISHOR THAKUR	29	M	29.09.2020	Negative
C33169	PRAMOD ANANTA DABHADE	36	M	29.09.2020	Positive
C33170	PRIYA NIKHIL JADHAV	37	F	29.09.2020	Negative
C33171	KANCHAN SUMEDH JADHAV	32	F	29.09.2020	Positive
C33172	NIKHIL VINOD JADHAV	42	M	29.09.2020	Positive
C33173	PREM VINOD GOTARNE	20	M	29.09.2020	Positive
C33145	DIPAK MADHUKAR BHOIR	40	M	29.09.2020	Positive

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	28/09/2020 12:50 pm
Date and time of reporting (dd/mm/yyyy)	29/09/2020 14:34 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33146	SUBHASH DATTATRAY BHOIR	43	M	29.09.2020	<b>Positive</b>
C33147	NARAYAN GANPAT VYAWHARE	61	M	29.09.2020	Negative
C33148	SANJAY SHAMSUNDAR TIWARI	35	M	29.09.2020	<b>Positive</b>
C33149	KALPANA KISHOR PALEKAR	55	F	29.09.2020	Negative
C33150	KERU BHAU SHELAVLE	80	M	29.09.2020	<b>Positive</b>
C33151	EKNATH HARISHCHANDRA SARKHOT	46	M	29.09.2020	Negative
C33152	GAJANAN DEVRAM MHASKAR	56	M	29.09.2020	Negative
C33153	SAVITA MADHUKAR BHERE	60	F	29.09.2020	<b>Positive</b>
C33154	HEMANGI DIPAK KSHIRSAGAR	8	F	29.09.2020	<b>Positive</b>
C33155	ANISH DIPAK KSHIRSAGAR	4	M	29.09.2020	<b>Positive</b>
C33156	ANIRUDDHA ANANTA LODH	51	M	29.09.2020	<b>Positive</b>
C33157	SHIVRAM GANU FODSE	80	M	29.09.2020	<b>Positive</b>
C33158	SHEVANTI SHIVRAM FODSE	70	F	29.09.2020	Negative
C33159	SANDIP JAYRAM WAGHE	37	M	29.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)