



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	26/09/2020 13:25 pm
Date and time of reporting (dd/mm/yyyy)	27/09/2020 10:32 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32799	PRAMOD WANKHEDE 21438	45	M	27.09.2020	Negative
C32800	DEEPAK DEEPAKE 21858	30	M	27.09.2020	Negative
C32801	DAMYANK KSHIRSAGAR 19873	54	F	27.09.2020	Negative
C32802	MEENA RAMESH PANDEY 32802	38	F	27.09.2020	Negative
C32803	RAJENDRA DIWAN SINGH 992	46	M	27.09.2020	Negative
C32804	BABITA SALVE 985	47	F	27.09.2020	Positive
C32805	RATNA SONAR 982	45	F	27.09.2020	Negative
C32806	SUNANDA RAHATE 981	75	F	27.09.2020	Negative
C32807	CHANDRAKANT GAWTADE 983	60	M	27.09.2020	Negative
C32808	BHAGIRATHI NANDURKAR 984	72	F	27.09.2020	Inconclusive (Repeat Fresh Sample)
C32809	RAJASHRI RAJARAM JADHAV 988	77	M	27.09.2020	Negative
C32810	SAKUBAI WAMAN DHANGAR 997	60	F	27.09.2020	Positive
C32811	DEVESH ANANTA HAJARE 994	20	M	27.09.2020	Positive
C32812	ANANTA BABU HAJARE 993	48	M	27.09.2020	Positive
C32813	SUMATI ARJUN JADYAR 996	75	F	27.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	26/09/2020 13:25 pm
Date and time of reporting (dd/mm/yyyy)	27/09/2020 10:32 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32814	VIMAL PAWAR 998	65	F	27.09.2020	Negative
C32815	B/O DRUVA MHAGE	1	M	27.09.2020	Negative
C32816	ALZA MOINUDEEN 21964	1	F	27.09.2020	Negative
C32817	MOHAMMAD A. MOMIN 21922	3	M	27.09.2020	Negative
C32818`	ABUTARA ANSARI 959	68	M	27.09.2020	Negative
C32819	BHAGWAN DHARMA KIRPAT 987	42	M	27.09.2020	Negative
C32820	NANDEV GANPAT PAWAR 989	80	M	27.09.2020	Negative
C32821	RASHIDA MARCHANT 986	60	F	27.09.2020	Negative
C32822	INDIRA PILLAI 21731	30	F	27.09.2020	Negative
C32823	AZIMUDDIN KURESHI 21441	81	M	27.09.2020	Negative
C32824	SHANKAR GAIKWAD 20170	60	M	27.09.2020	Negative
C32825	DHARAMENDRA MUNASWAR 21633	28	M	27.09.2020	Positive
C32826	DATTA ASHOK SALUNKHE 18651	40	M	27.09.2020	Negative
C32827	PARVATI MAHADEV VALAVALKAR	82	F	27.09.2020	Negative
C32828	JIJABAI TUKARAM BELOSE	78	F	27.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	26/09/2020 13:25 pm
Date and time of reporting (dd/mm/yyyy)	27/09/2020 10:32 am
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32829	JAFAR MANJUR SHAIKH	27	M	27.09.2020	Negative
C32830	PRATIBHA DHANAJI PANDIT	50	F	27.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)