



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	26/06/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	28/06/2020 13:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10880	SUBHADRA RAMESH BHOSALE	61	F	28.06.2020	Positive
C10881	DR. SAGAR NARENDRA BAGUL	25	M	28.06.2020	Positive
C10882	ISHIKA SURESH CHAUDHARY	9	F	28.06.2020	Negative
C10883	MAMTA SURESH CHAUDHARI	27	F	28.06.2020	Negative
C10884	SAKHARAM A. DEVASHI	24	M	28.06.2020	Negative
C10885	KARANARAM P. DEVASHI	22	M	28.06.2020	Negative
C10886	SARTHAK SANTOSH BHOSALE	12	M	28.06.2020	Positive
C10887	BABU JANA SHELAR	42	M	28.06.2020	Negative
C10888	NAMDEV KISAN KULSINGE	36	M	28.06.2020	Positive
C10889	SWARA SANDIP BHOSALE	5	F	28.06.2020	Negative
C10890	VEDANTI SANTOSH BHOSALE	16	F	28.06.2020	Positive
C10891	RAMDAS N. BAMBERE	29	M	28.06.2020	Negative
C10892	KIRAN RATAN KHADATALE	35	M	28.06.2020	Negative
C10893	PARSHURAM B. JADHAV	50	M	28.06.2020	Positive
C10894	HEMA SANTOSH BHOSALE	36	F	28.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	26/06/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	28/06/2020 13:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10895	SUJAL MAHESH BHAGAT	12	M	28.06.2020	Negative
C10896	RAGHUNATH SHIVAJI BHOIR	25	M	28.06.2020	Positive
C10897	SARIKA KAILAS KALUSE	36	F	28.06.2020	Negative
C10898	SAVITA MUKUND KALUSE	40	F	28.06.2020	Negative
C10899	JAYANTI M. CHAUDHARY	21	F	28.06.2020	Negative
C10900	USHA MARUTI MOHPE	37	F	28.06.2020	Negative
C10901	YOGESH MUKUND GURAV	35	M	28.06.2020	Negative
C10902	VINAYAK VIJAY SHELAR	11	M	28.06.2020	Negative
C10903	CHETNA VIJAY SHELAR	18	F	28.06.2020	Positive
C10904	VAISHALI VIJAY SHELAR	43	F	28.06.2020	Positive
C10905	BHARAT PATEL CHETARAM CHAUDHARI	19	M	28.06.2020	Negative
C10906	HARISH SURESH CHAUDHARY	3	M	28.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)