



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/07/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	24/07/2020 17:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17434	PRAMOD BHAGWAN WAGHERE	30	M	24.07.2020	Positive
C17435	SUMIT SANJAY MISHRA	08	M	24.07.2020	Positive
C17436	KIRAN SANJAY MISHRA	11	M	24.07.2020	Negative
C17437	KARAN SANJAY MISHRA	13	M	24.07.2020	Negative
C17438	KOMAL SANJAY MISHRA	16	F	24.07.2020	Negative
C17439	ROHINI AJAY KSHIRSAGAR	40	F	24.07.2020	Negative
C17440	SUNIL DUNDYA SHELAR	45	M	24.07.2020	Positive
C17441	MANOJ MADHUKAR JAMDAR	43	M	24.07.2020	Positive
C17442	ANANTA SHIVRAM JADHAV	60	M	24.07.2020	Negative
C17443	DR ARUN BHAGWANDAS ZAWAL	55	M	24.07.2020	Negative
C17444	GOPAL DATTU BHAVAR	37	M	24.07.2020	Positive
C17445	RAMESHWAR LAXMAN GHULE	38	M	24.07.2020	Negative
C17446	PRANALI PRAMOD ADHIKARI	30	F	24.07.2020	Positive
C17447	SHLOK PRAMOD ADHIKARI	04	M	24.07.2020	Negative
C17448	SHRAVAN PRASHANT ADHIKARI	05	M	24.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report


Date & Time of receipt of specimen (dd/mm/yyyy)	23/07/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	24/07/2020 17:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17449	SUREKHA SURESH ADHIKARI	60	F	24.07.2020	Negative
C17450	AVINASH BALU SHELAKE	38	M	24.07.2020	Positive
C17451	RAHUL KRUSHNA SHELAKE	20	M	24.07.2020	Negative
C17452	ASHWINI AVINASH SHELAKE	36	F	24.07.2020	Negative
C17453	ISHANT AVINASH SHELAKE	10	M	24.07.2020	Negative
C17454	SUMAN KRUSHNA SHELAKE	48	F	24.07.2020	Positive
C17455	KRUSHNA KASHINATH SHELAKE	55	M	24.07.2020	Positive
C17456	SHARANTA AVINASH SHELAKE	06	F	24.07.2020	Negative
C17457	ROHAN KRUSHNA SHELAKE	24	M	24.07.2020	Negative
C17458	CHINATAMAN RAMCHANDRA BHANDE	22	M	24.07.2020	Negative
C17459	PRAKASH HAIBAT KHOTARE	23	M	24.07.2020	Positive
C17460	ASHIMKUMAR ROBINCHANDRA ADHIKARI	63	M	24.07.2020	Negative
C17461	MANUDIP TAPAN ADHIKARI	16	M	24.07.2020	Negative
C17462	TANUSHRI TAPAN ADHIKARI	19	F	24.07.2020	Negative
C17463	MINU TAPAN ADHIKARI	42	F	24.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/07/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	24/07/2020 17:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17464	MUKTA PANDURANG GODE	40	F	24.07.2020	Negative
C17465	GORAKSHA BHAURAO KHADE	42	M	24.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)